


PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : H04N 7/14, 7/173	A2	(11) International Publication Number: WO 00/13415 (43) International Publication Date: 9 March 2000 (09.03.00)		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top; padding: 5px;"> (21) International Application Number: PCT/US99/19541 (22) International Filing Date: 26 August 1999 (26.08.99) (30) Priority Data: <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div>60/099,301</div> <div>26 August 1998 (26.08.98)</div> <div>US</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div>09/356,245</div> <div>16 July 1999 (16.07.99)</div> <div>US</div> </div> (71) Applicant: UNITED VIDEO PROPERTIES, INC. [US/US]; 7140 South Lewis Avenue, Tulsa, OK 74136 (US). (72) Inventors: MCKISSICK, Pamela, L.; 6919 South Columbia Avenue, Tulsa, OK 74136 (US). THOMAS, William, L.; 11611 South 70th East Avenue, Bixby, OK 74008 (US). ELLIS, Michael, D.; 1300 Kingwood Place, Boulder, CO 80304 (US). REGOUBY, Mark, A.; 9627 South 91st East Avenue, Tulsa, OK 74133 (US). HASSELL, Joel, G.; 8246 Yarrow Court, Arvada, CO 80005 (US). (74) Agents: TREYZ, G., Victor et al.; Fish & Neave, 1251 Avenue of the Americas, New York, NY 10020 (US). </td> <td style="width: 50%; vertical-align: top; padding: 5px;"> (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i> </td> </tr> </table>			(21) International Application Number: PCT/US99/19541 (22) International Filing Date: 26 August 1999 (26.08.99) (30) Priority Data: <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div>60/099,301</div> <div>26 August 1998 (26.08.98)</div> <div>US</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div>09/356,245</div> <div>16 July 1999 (16.07.99)</div> <div>US</div> </div> (71) Applicant: UNITED VIDEO PROPERTIES, INC. [US/US]; 7140 South Lewis Avenue, Tulsa, OK 74136 (US). (72) Inventors: MCKISSICK, Pamela, L.; 6919 South Columbia Avenue, Tulsa, OK 74136 (US). THOMAS, William, L.; 11611 South 70th East Avenue, Bixby, OK 74008 (US). ELLIS, Michael, D.; 1300 Kingwood Place, Boulder, CO 80304 (US). REGOUBY, Mark, A.; 9627 South 91st East Avenue, Tulsa, OK 74133 (US). HASSELL, Joel, G.; 8246 Yarrow Court, Arvada, CO 80005 (US). (74) Agents: TREYZ, G., Victor et al.; Fish & Neave, 1251 Avenue of the Americas, New York, NY 10020 (US).	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
(21) International Application Number: PCT/US99/19541 (22) International Filing Date: 26 August 1999 (26.08.99) (30) Priority Data: <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div>60/099,301</div> <div>26 August 1998 (26.08.98)</div> <div>US</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div>09/356,245</div> <div>16 July 1999 (16.07.99)</div> <div>US</div> </div> (71) Applicant: UNITED VIDEO PROPERTIES, INC. [US/US]; 7140 South Lewis Avenue, Tulsa, OK 74136 (US). (72) Inventors: MCKISSICK, Pamela, L.; 6919 South Columbia Avenue, Tulsa, OK 74136 (US). THOMAS, William, L.; 11611 South 70th East Avenue, Bixby, OK 74008 (US). ELLIS, Michael, D.; 1300 Kingwood Place, Boulder, CO 80304 (US). REGOUBY, Mark, A.; 9627 South 91st East Avenue, Tulsa, OK 74133 (US). HASSELL, Joel, G.; 8246 Yarrow Court, Arvada, CO 80005 (US). (74) Agents: TREYZ, G., Victor et al.; Fish & Neave, 1251 Avenue of the Americas, New York, NY 10020 (US).	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>			
(54) Title: TELEVISION MESSAGE SYSTEM				
(57) Abstract <p>A television message system is provided that allows users at user television equipment devices that are connected to a television distribution facility to transmit messages to each other relating to a television program or other suitable subject. The television message system permits users to participate in evaluations, contests, promotions, and surveys related to a television program while watching that television program. The television message system also permits users to compose and send a message to a television program entity. Users can send messages through the television message system to users at personal computers who are connected to the user's television distribution facility through a communications network. The television message system also allows a user to purchase a gift related to television programming for a recipient. The gift may be an electronic gift certificate for pay-per-view programming. The television message system may be based on an interactive television program guide or a set-top box application implemented on a set-top box.</p>				



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

- 1 -

TELEVISION MESSAGE SYSTEM

Background of the Invention

This invention relates to television message systems, and more particularly, to techniques for supporting the transmission of messages in a television environment that may include an interactive television program guide.

A popular aspect of the Internet and other networking environments relates to e-mail messages. A network or Internet user can send e-mail messages to other users of the network or the Internet. Messages are delivered to a server where they are held until downloaded by a client such as a personal computer. The recipient of a message can access it at any time from the server and read it at his convenience.

Television programs are sometimes discussed in e-mail messages. However, there is generally no way in which users of a traditional e-mail message system may easily view a television program while exchanging messages about that program. A user might locate a television in the same room as the user's personal

- 2 -

computer, but such an arrangement would be awkward to view. Moreover, many households locate their televisions in the living room, but are reluctant to locate their computers in the living room.

5 Although personal computers may be provided with tuner cards that allow television signals to be displayed on the computer monitor, many television viewers would prefer to view television on a traditional television set. Television sets generally
10 offer greater viewing areas than computer monitors, so that users need not sit nearly as close to a television screen as they would a computer monitor. Televisions sets are also typically located in rooms within the home that are more suitable for watching television
15 than where computers are typically located.

A system that attempts to integrate aspects of the Internet with the television viewing experience is available from WebTV Networks, Inc. of Palo Alto, California. The WebTV system permits television
20 viewers to access the Internet through a WebTV Plus Receiver connected to their television sets. The WebTV Plus Receiver enables users to surf the World Wide Web on their television by connecting their televisions to the web-based WebTV Network through a standard phone
25 line. The WebTV System permits users to view television program listings and web sites related to television programs that appear in the program listings.

The WebTV system also provides TV Crossover
30 Links that allow users to access web sites that are related to television programs. The WebTV Plus Receiver detects data such as web links (i.e., universal resource locators (URL)) that is embedded in the video broadcast and notifies users with a TV

- 3 -

Crossover Link watermark on the television screen. The TV Crossover Links permit users to link to web sites through the Internet related to the television program that the user is watching. The user can view the web
5 site and the television program simultaneously through the WebPIP picture-in-picture function. If the web site supports e-mail features, the user might then send an e-mail message through the Internet while watching a television program. The WebTV system also provides
10 users with e-mail accounts for sending and receiving e-mail through the Internet. A user can access a Web Home page from which he can send and receive e-mail.

Interactive television program guides implemented on set-top boxes allow users to view
15 television program listings on their televisions. Such program guides allow users to view television program listings in different display formats and to perform various other functions. For example, a user may instruct the program guide to display a channel-ordered
20 grid of current program listings. The user may also use the program guide to search for programs in a desired programming category such as sports, movies, news, or the like. If desired, the program guide may be used to order pay-per-view programming.

25 Previously known systems have not provided an integrated system allowing television viewers to view television programming and to exchange messages with other television viewers independent of the Internet. Previously known systems also have not provided
30 television viewers with the opportunity to send messages to exclusively other viewers of a television program or channel. Previously known interactive program guides have not contained a feature that allows

- 4 -

television viewers to exchange messages with each other.

It is therefore an object of the present invention to provide a television message system that provides a television viewer with an opportunity to view television programming and to exchange messages related to the television programming to other television viewers that does not rely solely on the Internet.

It is also an object of the present invention to provide an interactive television program guide that contains message features.

Summary of the Invention

These and other objects of the invention are accomplished in accordance with the principles of the present invention by providing a television message system that receives television programming over a communications path from a television distribution facility such as a cable system headend. The television message system allows users to transmit messages relating to a given television program to users who are currently watching that television program.

The message system allows messages to be transmitted between users at user television equipment devices. The user television equipment devices may be connected to a television distribution facility (such as a cable system headend) by coaxial cables or other suitable communications paths that carry television signals. In an illustrative configuration, the system eliminates the need for additional communications paths physically separate from the paths that carry

- 5 -

television signal broadcast channels for the transmission of messages.

The television message system of the present invention permits users to participate in a television
5 program-related contest, promotion, or survey while watching a television program by sending and receiving messages through the television message system. The television message system also permits users to evaluate a television program and send the evaluation
10 to a television program entity such as the TV channel or another user as a recommendation.

The television message system of the present invention permits users to compose and send a message to a television program entity such as the program
15 producers or a program cast member. In addition, users can send messages through the television message system to other users, such as other users of an interactive program guide, Internet users, PC users, etc., who are connected to the user's television distribution
20 facility through a communications network. The messages can be composed by the user, or the messages can be standard messages such as a reminder message to watch a particular program. Message may be composed on an interactive TV screen or on a display remote control
25 device.

The television message system also allows a user to purchase a gift related to television programming for a recipient.

The television message system may be based on
30 an interactive television program guide implemented on the set-top box. If desired, the system may be implemented on other suitable user television equipment such as a satellite receiver, an advanced television receiver (e.g. a high definitive television or HDTV

- 6 -

receiver), a television into which set-top box circuitry is integrated or the like.

Further features of the present invention, its nature and various advantages will be more apparent
5 from the accompanying drawings and the following detailed description of the preferred embodiments.

Brief Description of the Drawings

FIG. 1A is a diagram of a television message system in accordance with the present invention.

10 FIG. 1B is a diagram of a user television equipment device having a user interface based on a wireless keyboard in accordance with the present invention.

15 FIG. 1C is a diagram of a television screen keyboard user interface in accordance with the present invention.

FIG. 1D is a diagram of a user interface television display screen providing a list of standard messages or words in accordance with the present
20 invention.

FIG. 2A is a diagram of a system configuration in which user television equipment devices of multiple television distribution facilities are connected via a television program entity in
25 accordance with the present invention.

FIG. 2B is a system diagram showing how multiple user television equipment devices may be connected to a television distribution facility and a separate server via neighborhood networks in accordance
30 with the present invention.

FIG. 3 is a diagram showing how multiple television distribution facilities and user communications equipment devices may be connected via a

- 7 -

communications network in accordance with the present invention.

FIG. 4 is a depiction of an illustrative television message system display screen containing a reduced-size version of a television program for providing a user with an opportunity to compose a message and to transmit the message to a television program entity in accordance with the present invention.

FIG. 5 is a flow chart showing steps involved in an illustrative approach for providing a user with an opportunity to send a message to a television program entity in accordance with the present invention.

FIG. 6A is a depiction of an illustrative television message system display screen for entering user profile information in accordance with the present invention.

FIG. 6B is a depiction of an illustrative television message system display screen for entering a user's name and address in accordance with the present invention.

FIG. 6C is a depiction of an illustrative address book for users in accordance with the present invention.

FIG. 7 is a depiction of an illustrative television message system display screen for providing a user with an opportunity to evaluate a television program in accordance with the present invention.

FIG. 8 is a flow chart showing steps involved in an illustrative approach for providing a user with an opportunity to evaluate a television program in accordance with the present invention.

- 8 -

FIG. 9 is a depiction of an illustrative television message system display screen for providing the user with an opportunity to participate in a survey relating to television programming in accordance with
5 the present invention.

FIG. 10 is a depiction of an illustrative television display screen for providing the user with an opportunity to participate in a promotion related to a television program in accordance with the present
10 invention.

FIG. 11 is a depiction of an illustrative television message system display screen for providing the user with an opportunity to participate in a contest related to a television program in accordance
15 with the present invention.

FIG. 12 is a flow chart showing steps involved in an illustrative approach for providing a user with an opportunity to participate in a television contest, promotion, or survey in accordance with the
20 present invention.

FIG. 13 is a depiction of an illustrative television display screen for displaying interactive features available for television programs in accordance with the present invention.

FIG. 14 is a depiction of an illustrative television message system display screen for providing a user with an opportunity to send a reminder message to another user in accordance with the present
25 invention.

FIG. 15 is a depiction of an illustrative television message system display screen for displaying a reminder message received from another user in accordance with the present invention.
30

- 9 -

FIG. 16 is a flow chart showing steps involved in an illustrative approach for providing a user with an opportunity to create a reminder message to be sent to another user in accordance with the present invention.

FIG. 17 is a depiction of an illustrative television message system display screen for providing a user with an opportunity to send a message to another user in accordance with the present invention.

FIG. 18 is a depiction of an illustrative television message system display screen for displaying a message received by a user in accordance with the present invention.

FIG. 19 is a depiction of a television message system display screen for providing a user with an opportunity to send a message to other users based on television program-related criteria in accordance with the present invention.

FIG. 20 is a flow chart showing steps involved in an illustrative approach for providing a user with an opportunity send a message to other users based upon television program-related criteria in accordance with the present invention.

FIG. 21 is a depiction of an illustrative television message system display screen for providing a user with an opportunity to purchase a television program-related gift for another user in accordance with the present invention.

FIG. 22 is a depiction of an illustrative television message system display screen for providing a user with an opportunity to purchase program-related merchandise in accordance with the present invention.

FIG. 23 is a depiction of an illustrative television message system display screen for providing

- 10 -

a user with an opportunity to enter gift recipient identity and address information in accordance with the present invention.

FIG. 24 is a flow chart showing steps
5 involved in an illustrative approach for providing a user with an opportunity to purchase a gift through the television message system in accordance with the present invention.

FIG. 25 is a depiction of a display remote
10 control with television messaging features in accordance with the present invention.

Detailed Description of the Preferred Embodiments

An illustrative television message system 10
in accordance with the present invention is shown in
15 FIG. 1A. Main facility 12 may contain a program guide database 14 for storing program guide information such as television program guide listings data, pay-per-view ordering information, etc. Database 14 allows system
10 to support an interactive television program guide
20 if desired. Although the television message features of the present invention may be provided using a television message system without a program guide, certain aspects of the invention will be described primarily in the context of an interactive television
25 program guide system configuration for specificity and clarity.

Information from database 14 may be
transmitted to television distribution facility 16 via
communications link 18. Link 18 may be a satellite
30 link, a telephone network link, a fiber optic link, a cable link, a microwave link, a combination of such links, or any other suitable communications path.

- 11 -

Television distribution facility 16 is a facility for distributing television signals to users, such as a cable system headend. Some aspects of the invention may be implemented using a television
5 distribution facility such as a broadcast distribution facility, or a satellite television distribution facility. Only one television distribution facility 16 is shown in FIG. 1A to avoid over-complicating the drawings. In general, however, main facility 12
10 distributes information to multiple television distribution facilities.

The program guide information transmitted by main facility 12 to television distribution facility 16 includes television program listings data such as
15 program times, channels, titles, descriptions, etc. The information transmitted from main facility 12 may also include information on interactive message features (e.g. television program contests, surveys, evaluations, promotions, etc.) that are available for
20 particular television programs or channels.

If desired, some of the program guide data and other TV message information may be provided using data sources at facilities other than main facility 12. For example, data relating to available television
25 program-specific message features (e.g. a contest, promotion, survey, etc.) may be provided by a television program entity associated with a television channel, or other facility that is separate from main facility 12 and television distribution facility 16.

30 Television distribution facility 16 distributes program guide data and other information to the user television equipment 20 of multiple users via communications paths 24. Communication paths 24 are preferably bidirectional to support messaging and

- 12 -

preferably have sufficient bandwidth to allow television distribution facility 16 to distribute scheduled television programming, pay programming, messages, and other video and audio information to user television equipment 20 in addition to non-video program guide information and messages. The messages supported by communication paths 24 may be text-based or, if more bandwidth is available, may be audio or video messages. If television distribution facility 16 is a cable system headend, communications paths 24 may be based on coaxial cable or fiber optics or the like. If television distribution facility 16 is a satellite system or broadcast system, unidirectional paths may involve transmitting information in free space. Bidirectional paths may have a free-space downlink to the home and a telephone line or cable or fiber optic return path from the home to the television distribution facility 16.

User television equipment may be based, for example, on a set-top box or other such device. For clarity, many aspects of the invention are described in connection with this illustrative arrangement, although any other suitable hardware arrangement for the user television equipment 20 may be used if desired.

Multiple television and audio channels (analog, digital, or both analog and digital) may be provided to user television equipment devices 20 (including, e.g., set-top boxes 26) via communications paths 24. If each path 24 includes a number of traditional analog television channels, one or more of these channels may be used to support a number of digital channels. The bandwidth of each analog channel that is used to support digital channels may support ten or more of such digital channels. Two-way digital

- 13 -

channels typically require more bandwidth than one-way digital channels. Such two-way digital channels may support two-way communications in the form of messages between set-top boxes 26 and a server (e.g. at
5 television distribution facility 16). If two-way communications between set-top boxes 26 and television distribution facility 16 involve only text or audio signals, the bandwidth required to support such two-way communications may be substantially less than the
10 bandwidth required to support two-way communications involving video.

Messages may be distributed along communications path 24 using any number of suitable techniques. For example, text messages may be
15 distributed using out-of-band channels on paths 24 using out-of-band modulators. Video or audio messages may be more efficiently transmitted using one or more digital channels on path 24. Such digital channels may also be used for distributing text and graphics. Any
20 suitable communications protocols may be used for sending messages and the like. For example, communications may be analog or digital, synchronous or asynchronous, packet-based, Internet protocol transmissions, etc.

25 Dedicated digital or analog channels, or at least an allocated portion of the available bandwidth in communications paths 24, may be used for the transmission of messages. Such dedicated channels may be separate from the channels used for transmitting
30 television program broadcast signals to the user television equipment.

Because communications paths 24 support transport of messages between user television equipment devices 20 and television distribution facility 16, the

- 14 -

arrangement of system 10 may eliminate the need for separate telephone lines connected to user television equipment 20 to transmit messages (although such telephone lines may be used with certain aspects of the invention if desired). If desired, television programming may be transmitted to user television equipment 20 along one communications path such as a satellite link from a satellite system, while messages to and from the user are distributed over a second communications path such as a telephone or cable.

Television distribution facility 16 preferably has a server or other suitable computing equipment or audio or video equipment such as audio voice mail equipment (herein collectively referred to as message equipment 22) for supporting the transmission of messages between users. For clarity, certain aspects of the invention are simply described as being implemented using a message server although these aspects of the invention are also applicable to other types of message equipment. The message equipment 22 (e.g., a message server) may be capable of handling messages involving text, graphics, video, or audio data. If desired, the bandwidth requirements of message equipment 22 may be reduced by restricting messages to text, audio, and/or graphics, rather than including video. Message equipment 22 in television distribution facility 16 may be configured in a client-server arrangement in which each piece of user television equipment 20 (i.e., each user television equipment device 20) acts as a client processor.

Each user has a receiver, which is typically a set-top box such as set-top box 26, but which may also be other suitable television equipment into which circuitry similar to set-top box circuitry has been

- 15 -

integrated. For example, user television equipment 20 may be based on an advanced television receiver such as a high-definition television (HDTV) receiver or other such television-based platform. A set-top box may
5 include a DOCSIS modem for use in two-way communication to and from a server or television distribution facility. For clarity, the present invention will be described primarily in the context of user television equipment 20 that is based on set-top boxes 26. As
10 shown in FIG. 1A, each set-top box 26 may have memory 25. Memory 25 may be used, for example, for maintaining a database of program listings data.

Program guide information may be distributed to set-top boxes 26 continuously (in real-time),
15 periodically, on request (using a client-server arrangement), or using a combination of these techniques. Messages may be distributed to set-top boxes 26 in real-time or on-demand (e.g., when a user checks his e-mail or message equipment 22 and requests
20 a message for viewing). The message equipment may receive messages from set-top boxes 26 in real-time or periodically.

Main facility 12 preferably contains a processor to handle information distribution tasks.
25 Each set-top box 26 preferably contains a processor to handle tasks associated with implementing an interactive television program guide application containing television message features or an independent television messaging application on the
30 set-top box 26 (hereinafter collectively referred to as a television messaging set-top box application or simply a set-top box application). Television distribution facility 16 preferably contains one or more processors (e.g., part of message equipment 22)

- 16 -

for tasks associated with the distribution of messages and for tasks associated with providing program guide data to the program guide on the set-top boxes.

It should be understood that some or all of
5 the functions of the program guide or the messaging set-top box application hereinafter described may be integrated into an operating system on the set-top box, implemented as a stand-alone application on the set-top box, or performed by a server (e.g. part of message
10 equipment 22 or separate from the television distribution facility). In client server architecture, the set-top box sends data or requests to the server. The server can store and process data and send the results of a request back to the user television
15 equipment for further processing, display, or storage. Any of the functionality of the set-top box application hereinafter described may be implemented using client-server architecture.

Various mechanisms may be used for launching
20 the television messaging set-top box application from a program guide application on the user's set-top box. One mechanism involves using a hot link to launch the television messaging set-top box application. Hot linking involves invoking a non-program-guide
25 application such as television messaging set-top box application with information such as a web site address, e-mail address, program title, or other information that has been preselected based on the current content of the program guide or status of set-
30 top box 26. For example, if the user is watching a program, viewing a program listing, viewing the description of a program, or taking other action within the program guide related to a given program, channel, type of channel, or the like and the user directs the

- 17 -

program guide to launch a non-program-guide application, the program guide may launch that non-program-guide application and direct that non-program-guide to take an action related to the given program, channel, type of channel, or the like.

Hot links may be activated by dedicated buttons, a launch button, menu options, or any other suitable technique. For example, a remote control may be provided with a dedicated message button, a dedicated shopping button, and similar buttons associated with other non-program-guide applications. When the user presses the message button, the program guide launches the television messaging set-top box application and directs the television messaging set-top box application to set up a message to a character in the program, a fan club, or other message recipient associated with the program. When the user presses a shopping channel button, the program guide launches a shopping application (e.g. for purchasing gifts for recipient users) and directs the program guide to preselect merchandise related to the program. Further features of an illustrative hot linking system are described in Ellis et al. U.S. patent application Serial No. 09/346,134, filed concurrently herewith (Attorney Docket No. UV-85), which is hereby incorporated by reference herein in its entirety.

Each set-top box 26 is typically connected to an optional videocassette recorder 28 or other such recording device so that selected television programs may be recorded. Each videocassette recorder 28 (or set-top box 26) is connected to a television 30. To record a program, set-top box 26 tunes to a particular channel and sends control signals to videocassette recorder 28 (e.g., using an infrared transmitter) that

- 18 -

direct videocassette recorder 28 to start and stop recording at the appropriate times.

During the use of the television message systems, the television messaging set-top box application on set-top box 26 may display messages on television 30. If the television message system includes an interactive television program guide, the interactive television program guide may display program listings on television 30. A program guide with message features may also be used to display the messages. Each set-top box 26, videocassette recorder 28, and television 30 may be controlled by one or more user interfaces 32 which may involve a remote control, mouse, trackball, microphone, digital video camera, dedicated set of buttons, etc.

As shown in FIG. 1B, user interface 32 may contain a wireless keyboard 34 that sends signals 36 (e.g. infrared signals) to set-top box 38, which is connected to television 40. The user's input may be displayed as part of a television message system display screen on television 40 as the input is entered through wireless keyboard 34. If television message system 10 is based on an interactive television program guide, the display screen provided on television 40 by set-top box 38 may be on an interactive television program guide display screen. The displayed interactive television program guide display screen or other program guide display screens provided by the program guides may contain program listings.

User interface 32 may also be based on a television screen keyboard 50 as illustrated in FIG. 1C. The user can select letters from the displayed alphabet to compose a message 52. In particular, the user may select letters from alphabet keys 54 and

- 19 -

spaces from space bar 56. The user may select a letter so that it becomes highlighted (such as letter L 58) by pressing arrow keys and an enter key (also called an OK or select key) on a remote control. Pressing the OK
5 key on the remote control directs the program guide containing message features or the independent messaging application to place the selected letter adjacent to cursor 62. The user may select SHIFT
option 51 to place a capital letter in message 52. In
10 this way, a user can compose the text of a message.

If desired, the user may compose messages by selecting from a list of standard messages 70 or words 72 displayed in a display screen such as display screen 75, as shown in FIG. 1D. The words or messages may be
15 predetermined, determined by the user, or both. If determined by the user, they may be specifically entered by the user into the list, or they may be automatically saved by the system based on messages previously sent by the user. A word or message can be
20 selected by pressing arrow keys on a remote control to place highlight region 76 on top of a particular word or message such as "message 2" in FIG. 1D. The user can then select the highlighted word or message by pressing a remote control enter (or select or OK) key.

25 System 10 allows users at user television equipment 20 to exchange television program-related messages while watching television. The user may send messages with system 10 without investing the effort involved in operating a personal computer and the
30 software that is associated with it. In addition, system 10 allows users to retain the high video quality and channel range of television viewing while exchanging messages with similarly situated users.

- 20 -

As shown in FIG. 2A, a television program entity 80 may contain a message server 82 to store messages sent between user television equipment 88, 92, and any other such user television equipment. The television program entity may be a message facility associated with a television channel that receives and processes messages sent by users of user television equipment devices to a television program or channel. User television equipment devices 88 and 92 are connected via communications paths 90 and 94 respectively to television distribution facilities 84 that are in turn connected to television program entity 80 via communication links 86. Communications links 86 may be satellite links, telephone network links, fiber optic links, cable links, microwave links, combinations of such links, or any other suitable communications path.

Messages may be handled on a server that is not located at the television distribution facility as shown in FIG. 2B. For example, messages may be stored on server 91 and transmitted between user television equipment devices 97 and 98 via neighborhood nodes 95 and 96. User television equipment device 97 are connected to neighborhood node 95 via communications path 99, and user television equipment devices 98 are connected to neighborhood node 96 via communications path 101. Neighborhood nodes 95 and 96 decrease the bandwidth requirements on communications paths 103 for a given number of user television equipment devices 97 and 98. Neighborhood nodes 95 and 96 route television programming from television distribution facility 93 to user television equipment 97 and 98. Neighborhood nodes 95 and 96 may also route messages between server 91 and user television equipment 97 and 98.

- 21 -

Neighborhood nodes 95 and 96 may also route requests to perform many of the message system functions described herein from user television equipment 97 and 98 to server 91. Responses from server 91 are routed back to
5 the appropriate user television equipment device via a neighborhood node.

As shown in FIG. 3, messages can be distributed along communication paths 102 from one user television equipment device 100 associated with
10 television distribution facility 104 to another user television equipment device 100 associated with that facility using a message server 106 located at the facility. The messages sent between two or more user television equipment devices 100 associated with
15 television distribution facility 104 may be stored on message server 106 in television distribution facility 104. An advantage to limiting operation of the message system to individual television distribution facilities is that it allows individual cable system operators
20 (for example) to control their systems, and it does not involve coordinating the transmission of messages related to an on-going television program between different geographical areas or different time zones. If desired, messages exchanged by user television
25 equipment 100 can be stored by a message server 108 that is connected to television distribution facility 104 via communications network 110. Communications network 110 may be any suitable communications network such as the Internet, a public or private telephone
30 network, a network involving satellite link or wireless links, a cable network, etc.

The message system may also be configured so that users at one or more of user television equipment devices 120 may exchange messages with one or more of

- 22 -

user television equipment devices 100. User television equipment 120 is associated with a different television distribution facility than user television equipment 100. User television equipment devices 120 are
5 connected to television distribution facility 116 via communications paths 122. Message server 118 may be used to store messages. The configuration of message server 118 and user television equipment 120 may be based on a client-server arrangement. Television
10 distribution facilities 104 and 116 may be connected to each other via communications network 110. Messages that are sent between user television equipment 100 and user television equipment 120 may be stored on message servers 106, 108, or 118. If desired, any number of
15 television distribution facilities may be connected together via communications network 110 or other such communications networks to allow user television equipment from these television distribution facilities to exchange messages with each other.

20 In addition, messages may be transmitted between user television equipment 100 or 120 and user communications equipment 114. User communications equipment 114 is connected via communications network 110 to television distribution facilities 104 and 116.
25 User communications equipment devices 114 can be any number of, e.g., personal computers that can send and receive messages.

Another aspect of the present invention involves using the television messaging set-top box
30 application to provide the user with an opportunity to send messages related to a television program or channel which can be sent to certain recipients. Messages transmitted between set-top box application users are sent from one set-top box and stored at a

- 23 -

message server. The recipient user's set-top box can download the message from the message server after logging onto the message server. Once the message has been downloaded onto the recipient's set-top box, the recipient can review the message using message features provided by the set-top box application. The messages sent in this format may be delayed in the sense that they are not necessarily received by the recipient immediately after they are sent. The messages can be stored on a message server for a long time until recipients access them. Messages may also be sent by a user of a user television equipment device to a television program entity such as a television channel using the television messaging set-top box application.

Communications may also be sent between set-top boxes in the form of instant messages. Instant messages are messages that are only stored temporarily at the recipient end. An instant message is available for viewing by a recipient only for a limited period of time after which the message is purged from memory. The message is purged regardless of whether the recipient actually opens the message during the time period it is available. Instant messages are useful for transmitting information that is valid only for a limited period of time. For example, one user may wish to send a message containing the score of a football game to another user in the form of an instant message because the score may change continuously throughout the game.

Referring now to FIG. 4, television display screen 130 provides the user with the opportunity compose a human-readable message 132 related to a television program 148. Television message system display screen 130 may allow television program 148 to

- 24 -

be displayed (e.g., in window 146 of the television screen) concurrently with the interactive message features shown in FIG. 4. Program 148 is reduced in size to fit fully within window 146. Advertisement 149
5 may also be concurrently displayed in display screen 130. Advertisements may accompany any of the display screens or user interface screens of the present invention.

The set-top box application may display
10 screen 130 automatically at an appropriate time while the user is watching a television program 148. The set-top box application may also display screen 130 upon prompting by the user (e.g. when the user presses a message button on the remote control). Information
15 that indicates that the television program has associated message options such as those shown in FIG. 4 may be provided to the set-top box application using any suitable data distribution technique. For example, TV message information may be obtained on-demand by the
20 set-top box from a server or with the program guide listings from the main facility. If desired, TV message information may be encoded digitally in-band with the television program signal on a digital channel. The message information may be decoded by a
25 digital set-top box along with the TV program signal. The TV message information may also be digitally encoded on a digital channel separate from the TV program signal. As another example, TV message information may be maintained at a television
30 distribution facility and distributed to set-top box applications over the vertical blanking interval (VBI) of a standard analog television signal. A VBI decoder located in the set-top box may be used to decode data contained in the VBI of the received television signal.

- 25 -

TV message information relating to any of the herein described features of the present invention (e.g. surveys, contests, promotions, purchasing merchandise) may be provided to the user using any of the above
5 suitable techniques.

The decoded data may then be used by the set-top box application to determine whether an option exists for the user to send a message to a TV program entity based on the received data. The data decoded
10 by the set-top box also can indicate which message options are available and the return path or destination address to which the messages can be sent (e.g. the e-mail address of a television program entity which is designated to receive and process the messages
15 from the users). If desired, TV message information may be provided using an out-of-band data path. Such information may also be provided as a digital data stream that accompanies other streams of digital data (such as digital data for various television programs).

20 Screen 130 allows the user to send a human-readable message 132 (e.g., a text message or a graphic message containing text) to the TV channel which broadcasts program 148 by selecting option 134, the television program producers of program 148 by
25 selecting option 136, or an individual cast member of program 148 by selecting an option such as option 138 or option 140. Television channels include networks such as ABC, local affiliates, local broadcast stations, pay-per-view channels, cable channels such as
30 HBO and CNN, etc. Once the user of the set-top box application has chosen one or more desired recipients of the message, the user may send the message by selecting send option 142.

- 26 -

The television message system will then deliver the message to a television program entity such as a television message facility associated with the television channel that is designated to receive
5 messages from users of user television equipment devices. The television program entity will process the messages, and respond to them if necessary. For example, a designated television channel representative at the television program entity may read and respond
10 to messages sent to the television channel. The television program entity who actually receives the message from the user may also be, for example, the personal e-mail address of a cast member or program producer. The user may cancel the message and return
15 to a full screen view of the current program 148 by selecting option 144.

An illustrative process for sending a message to a television program entity recipient is shown in FIG. 5. At step 170, the set-top box application (i.e.
20 the interactive program guide with message features or the stand-alone messaging application) functioning on the user television equipment provides the user with an opportunity to send a message to a television program entity recipient, for example, the television channel,
25 television program producers, or individual television program cast members. The set-top box application may provide the user with an opportunity to indicate a desire to send the message by displaying an interactive screen such as screen 130 (FIG. 4). The interactive
30 screen may be displayed automatically or when the set-top box application is prompted by the user. The interactive screen may provide the user with an opportunity to enter the text of a message and designate the intended recipients of the intended

- 27 -

message. If desired, the recipients of the message may be preselected if there is only one potential recipient of the message. The user may then enter the message information. The message information may include the
5 text of the message and may include the designated recipients.

At step 172, the television message system sends the message to a message server associated with the television program entity which is designated to
10 receive and process messages relating to the television program, or channel. The set-top box application may obtain the information necessary to forward the message to a television program entity (e.g. the recipient's destination address) from the program guide information
15 obtained from the main facility or from data associated with a television program (e.g., data embedded in the VBI of the television program signal). The destination address may be an e-mail address or other information identifying a location where electronic messages may be
20 sent. The destination address may also be stored at the television distribution facility. In this case, the set-top box application may forward the message to the television distribution facility, which would then forward the message to its destination.

25 The television messaging set-top box application may also present the user with the option of entering profile information data for users in the user's household. An illustrative television messaging system display screen 420 that the television messaging
30 set-top box application may present on a user's television set to enter user profile information is shown in FIG. 6A. The names of users may be entered in box 422. That user's favorite programs may be selected from a pull down or expandable list 425. Additional

- 28 -

programs in the pull down list can be displayed on television messaging system display screen 420 if the user selects arrow 426. The user's favorite categories of programs such as sports programs, movies, news
5 segments, sitcoms, etc. may also be selected from pull down list 432. The user can select arrow 438 so that additional categories of programs may be displayed. The user's favorite channels may be selected from a pull down list 430. The user can select arrow 428 so
10 that additional channels may be displayed on the user's television display screen. Information about the user that is not related to TV programs may also be entered as part of the user's profile (e.g. birth date, place of residence, age, etc.). The user may enter his city
15 and state of residence in regions 441 and 443 of screen 420.

Television display screen 420 may also provide the user with an opportunity to filter the messages that are sent to that user. The user may
20 specify that all incoming messages are to be blocked, except for those other users whom the user identifies in box 435. Alternatively, the user may specify that only messages from certain recipients should be blocked. The user may identify these recipients in box
25 437. The filtering function may be performed by the set-top box or by the message equipment. The set-top box or the server checks all the incoming messages and does not accept messages from the blocked recipients.

A user may select OK option 436 when he has
30 finished entering user profile information. The data entered is preferably stored in the set-top box, but may be stored at a remote server or elsewhere in the hardware of the user television equipment device such as a separate storage unit connected to the set-top

- 29 -

box. The user may select cancel option 439 to exit display screen 420. User profile information will not be saved if the user selects cancel option 439. Further features of an illustrative system for entering user profile information are described in Ellis et al. U.S. patent application Serial No. 09/034,934 filed June 11, 1999, which is hereby incorporated by reference herein in its entirety.

In addition, the message system may be configured similar to the ICQ system so that a user may make his profile information public so that it can be accessed by other users. ICQ is an Internet tool that informs Internet user's who is on-line at any time and enables users to contact them at will. ICQ can search for an individuals on-line and alert a user when they log on. ICQ allows a user to chat, send messages, files, URL's, play games, or just hang out with fellow Internet users while surfing the Internet.

A user may fill out a questionnaire through the message system which includes information regarding the user's television program preferences as well as additional non-television related information about himself such as his hobbies (e.g. using display screen 420). The user profile information may be useful for finding other users who are interested in exchanging messages relating to certain topics. The user profile information may be stored at a remote server or jointly on the set-top boxes. A user may access profiles which have been made public and form a "buddy list" or address book of other users who have the same interests. The buddy list can include a user's identity, TV preferences, and other interests.

The message system may be set up so that a user must obtain permission from a second user before

- 30 -

he is able to obtain the second user's profile information. For example, the message system may send the second user a message indicating the first user has requested the second user's profile information. If
5 the second user accepts the request, the message system allows the first user to add the second user to his buddy list so that he can have access to the second user's profile information. In addition, the message system may ask the second user if he wishes to add the
10 first user to his buddy list. A user may add further information to the profile based on his knowledge of the other user's preferences. The message system may also allow users to search for other users based on an ICQ number, an e-mail address, TV program preferences,
15 and/or other preferences.

An illustrative television messaging system display screen 421 that the television messaging set-top box application may present on a user's television set to enter user identity information is shown in FIG.
20 6B. Television messaging system display screen 421 in FIG. 6B provides the user of the user television equipment with an opportunity to enter a user's name in box 423, and a user's address in box 427. Identities for users of user television equipment devices and user
25 communications equipment devices may be entered in display screen 421. For example, an e-mail address may be entered in box 427 for users of user communications equipment. A user of a user television equipment device may have an address which is a unique identifier
30 assigned to a particular user allowing a message server to restrict access to a message only to the proper recipient. The address for the user of a user television equipment may be entered in box 427.

- 31 -

When the user selects OK option 429, the set-top box application will save the user identity information (i.e. the user's name and address) in a memory device such as memory 25 in FIG. 1A. The user
5 identity information may also be stored at a server instead of a set-top box. When the user selects cancel option 431, the set-top box application will exit display screen 421 and will not save any information the user has entered in boxes 423 and 427. The user
10 selects option 433 if the user wishes to add the user identity entered in boxes 423 and 427 to a group of identities that will appear as a single entry in an address book, such as "Hockey Fans" in address book 440 shown in FIG. 6C. The identity group feature allows
15 the user to compile a list of the identities of friends who enjoy watching the same television program, channel, or category of programs into a group. The user can then send a message to everyone in that group while watching a television program that everyone in
20 the group is interested in by selecting that group in the address book. The members of the group of identities will receive the message on their set-top box and will be able to read it while they are watching the same television program as the sender of the
25 message.

The identities of users whose identity information has been entered in display screen 421 of FIG. 6B may be displayed by the set-top box application in an address book format on the television screen.
30 The television messaging system display screen shown in FIG. 6C is an example of such an address book. Address book display screen 440 displays a list of identities 442 of users or groups of users. The users can be individuals such as Mary Smith, or groups of

- 32 -

individuals such as Hockey Fans as illustrated by the names in the list 442. An individual user may be part of more than one group in the address book. For example, Mary Smith may appear in the address book as
5 an individual, and be a member of the groups "Seinfeld Fans" and "Movie Lovers." List 442 may contain groups of individuals who are interested in a particular program, type of program, or any other group identified by the user such as "Hockey Fans," "Members of Hiking
10 Club," "Seinfeld Fan Club," or "Movie Lovers." The groups need not be TV-related. If desired, the set-top box application may present a pop-up option on the television screen to send a message to the individuals in a list in the address book when the user is watching
15 a related television program (e.g. Seinfeld).

The user may select a recipient or recipients of a message, recommendation, gift, reminder, etc., by selecting an identity or identities in the list. Option 444 is highlighted to indicate that the user has
20 selected "Seinfeld Fans" to be a recipient of a message. The user may select as many recipients of the message as he desires from the names in the list. The user may choose to enter additional identities of other users by selecting option 446 which returns the user to
25 television display screen 421 in FIG. 6B.

When the user has selected the recipients of the message (e.g., using arrow keys and pressing enter), the user may then position the highlight region on OK option 448 and press enter. The television
30 messaging set-top box application may then retrieve the addresses for each recipient of the message. The television message system may then deliver the message to the appropriate message equipment for each of the

- 33 -

recipients. The user may select option 450 to cancel and exit from the address book display screen 440.

Referring now to FIG. 7, television display screen 180 allows a user of user television equipment to evaluate the television program that the user is viewing. The user can select one of options 182, 184, 186, and 188 to evaluate the program displayed in window 198. The television program is concurrently displayed in window 198 to assist the user in evaluating the program. Advertisement 197 may also be displayed on screen 180. The user can augment the evaluation by entering additional text comments in box 190 that may be distributed to recipients with the program evaluation. The user can select who the program evaluation will be sent to. The user can send the program evaluation to a television program entity such as the TV channel that broadcasts the television program (or an associated entity that compiles TV program data for the TV channel) by selecting option 192. An evaluation may include a simple score such as "good" or "bad," and it may include textual commentary.

The user can select option 194 to send the evaluation to other users of user television equipment as a recommendation to watch or not watch the particular program. The set-top box application will then display a user address book such as display screen 440 so the user can choose the desired recipients of the recommendation. The user may then select send option 199 to send the evaluation to the designated recipients. The set-top box application includes the identity of the TV program along with the evaluation or recommendation message. The television message system may then forward the evaluation to the destination addresses of the television program entity obtained

- 34 -

from the program guide information or from data associated with the program. The television message system may transmit the recommendation to message equipment (e.g. server) for access by the recipient
5 users of user television equipment. The communications paths in FIGS. 1A, 2A, 2B, and 3 illustrate the types of paths that may be used with these processes. Evaluations collected by this system from users may then be transmitted to the set-top box application and
10 displayed in a variety of formats. For example, an interactive TV display screen may indicate that 37% of the viewers gave the program 4 stars, 46% gave it three stars, 10% gave it 2 stars, and 7% gave it 1 star.

An illustrative process for sending a
15 television program evaluation or recommendation to a recipient is shown in FIG. 8. At step 220, the television messaging set-top box application functioning on the user television equipment provides the user with an opportunity to evaluate a television
20 program. The set-top box application may provide an opportunity to evaluate a program by displaying an interactive television display screen such as display screen 180 in FIG. 7. If desired, the set-top box application may provide the user with an opportunity to
25 evaluate a program by pressing buttons on his remote control. The user may then enter program evaluation or recommendation information for the television program following the options or instructions displayed on the user's television.

30 At step 224, the television message system delivers the evaluation or recommendation to the destination address or return path. If the address information is not known, the evaluation or recommendation may be transmitted to a return path

- 35 -

which may be, for example, the user's television distribution facility. If the television distribution facility has sufficient information, the television distribution facility may forward the evaluation or
5 recommendation to the appropriate destination.

The television messaging system of the present invention may also provide a fast and efficient way to gather ratings for television programs. A TV program rating is an estimate of the number of people
10 who are watching a television program based on a survey of a selected group of people. In the television messaging system of the present invention, each set-top box connected to a given television distribution facility may send a message to the TV channel or an
15 associated entity indicating whether the user is watching the current television program. A rating may be determined from this data if the sampling is taken from a large enough group. This system provides television channels and ratings services with a way in
20 which to gather up-to-the-minute ratings on television programs from users who are currently watching the programs.

As shown in FIG. 9, television messaging display screen 230 may be used to provide the user with
25 an opportunity to participate in a survey relating to television programming (e.g. a particular television program or a group of television programs). Television messaging system display screen 230 may provide a user with an opportunity to enter answers to questions 1 and
30 2 by selecting one or more of options 232a-c and 234a-d respectively. The set-top box application may obtain the survey questions and the return path from the program guide information transmitted from the main facility. Alternatively, some of this information may

- 36 -

be encoded into the television messaging set-top box application. Advertisement 235 may be displayed on screen 230 with the survey questions.

If desired, the survey questions and return
5 path (or destination address) may be encoded digitally in-band with the television program signal on a digital channel, provided in the VBI signal, or otherwise provided as data associated with the television program. The set-top box application functioning on
10 the user television equipment may then decode the survey data from the program signal or other associated path, and indicate the availability of the survey option on a program listings menu in an interactive format so that the user may access the survey (see,
15 e.g., FIG. 13).

The user may answer an additional set of survey questions by choosing option 236. The user can send the responses he has given to the survey questions by choosing option 238. The television message system
20 will then deliver the survey answers as a survey message to the return path or destination address (e.g., a television program entity such as a television channel survey center) for processing. The user can cancel and return to a menu or to a television program
25 by choosing cancel option 240. If desired, the television messaging set-top box application may provide the user with inducements for completing a survey, such as a chance to win a free month of programming or the like.

30 As shown in FIG. 10, a television messaging system display screen 250 may provide the user with an opportunity to participate in a promotion related to television programming. The television channel that broadcasts a television program may be offering a

- 37 -

promotional drawing as shown in FIG. 10. A reduced-sized image of the television program is displayed in window 256. An advertisement is displayed in region 255. The user can enter the drawing by selecting
5 option 252 or may decline by selecting option 254. If the user selects option 252, the television message system will forward a promotion message to the return path or destination address of the television program entity that is handling the promotion (e.g. the
10 television channel or an associated facility) so that the user will be entered in the drawing. The promotion message may include the user's name and address.

The television message system will then deliver the message to a television program entity
15 associated with the television channel that broadcasts program 256 for processing. The return path or destination address of a television program entity and the other promotion information displayed on screen 250 may be obtained using any suitable technique including
20 encoding it digitally in-band with the television program signal on a digital channel, embedding it in the program signal VBI, otherwise providing it as data associated with the program, or downloading it to the set-top box 26 from a server or the main facility 16
25 (FIG. 1A). Television message display screen 250 may request that the user enter his name and address and demographic information such as the user's programming preferences if the user decides to enter the drawing. The television program entity can then send additional
30 promotional information to the user based on the user's interests. The television program entity (e.g. the television channel) selects a winner from the pool of users who have entered the drawing. The winner may be announced at the end of the program. This promotion

- 38 -

technique permits users of user television equipment devices to participate in promotions simply and easily without leaving their living rooms. A television program promotion will encourage users to watch the
5 program and thereby increase ratings.

Referring now to FIG. 11, the television message system may provide a user of user television equipment with an opportunity to participate in a television program contest. The program "Jeopardy for
10 Home Viewers" may be vertically compressed to fit in the upper half screen, may be truncated by overlaying instructions on its lower half, or may be displayed using any other suitable arrangement. In any case, at least a portion of the program is visible to the user
15 in upper portion 411 of screen 410. A contest user interface 416 is simultaneously displayed in the lower portion of television display screen 410. This format allows a user to view a television program and participate in a contest at the same time. While a
20 user is listening to questions being asked on the program "Jeopardy for Home Viewers," he can enter answers to the questions in box 412. The questions can also be displayed in the contest user interface 416 portion of screen 410. When the user is satisfied with
25 his answer he can send it as a contest message to the return path or destination address by choosing option 414 or by pressing Enter on his remote control. The return path or destination address of the television program entity that receives the contest answers may be
30 the television program broadcast facility that broadcasts the television program. An advertisement may be displayed in region 415.

The contest questions and other contest information (e.g., the return path) may be encoded

- 39 -

digitally in-band with the television program signal on a digital channel, embedded in the VBI of the television program signal, or may be provided as other associated data or may be transmitted from a server to the set-top box over a separate channel. These arrangements allow contest information (such as contest questions) and the program signal to be continuously received by the set-top box during the course of a program. The contest information that appears on the interface screen 416 may be updated as it is received on the set-top box. Because the set-top box is receiving the television program signal for the TV program and the contest information concurrently, display screen 416 may be synchronized with the action occurring in the program as it unfolds. The winners of the contest can be determined immediately and may be announced during the course of the program. This aspect of the present invention allows television channels to implement interactive television programming for their users.

An illustrative process for allowing a user to participate in a contest, promotion, or survey is shown in FIG. 12. At step 400, the set-top box application functioning on the user television equipment provides the user with an opportunity to enter survey, promotion, or contest information. This opportunity may be provided in the form of display screens such as display screens 230, 250, and 410 of FIGS. 9, 10, and 11, respectively. The user may enter appropriate survey, promotion, or contest information following the on-screen prompts provided in the display screens. At step 402, the television message system delivers the survey, promotion, or contest information to the return path or destination address for

- 40 -

processing. If desired, step 402 may involve the step of using the television message system to transmit the message to the television distribution facility so that the message can be transmitted to the appropriate
5 destination (e.g. a television program entity).

As shown in FIG. 13, program guide listings that are received by the set-top box from the program guide database at the main facility may indicate which television programs have interactive user message
10 features available (e.g., a evaluation, contest, promotion, or survey feature). Television message system display screen 150 allows users to view which messaging features are available with respect to television programs that are being aired in a given
15 time slot.

The user may enter a time slot in box 164 or otherwise select a time slot of interest. The set-top box application then displays program listings in column 154 for programs that are scheduled to be
20 broadcast at the time indicated in box 164 on the channel in column 152. The messaging features available with respect to a given program are displayed by the set-top box application in column 156. For example, the program Wheel of Fortune is offering a
25 contest which a user can participate in. The user can highlight contest option 162 and press enter on his remote control to enter the Wheel of Fortune contest. The I icon in circle 158 indicates that the channel has provided more information with respect to the Wheel of
30 Fortune contest which the user may be interested in reading before entering the contest. The set-top box application may provide the user with an opportunity to review this information before the user is entered into the contest. Also, the user may simply view the

- 41 -

program Wheel of Fortune by highlighting the Wheel of Fortune option 155 and pressing enter on the remote control. The user can scroll up or down to view the program listings and messaging features for more
5 programs and channels as indicated by arrows 160. An advertisement may be displayed on screen 150 such as the one in region 157.

The features described with respect to FIG. 13 may be provided for in any format of listings. For
10 example, the TV message system may provide a list of all of the message features for programs airing on a selected TV channel. The TV message system may also allow a user to search for programs by category or alphabetically, and list associated message features
15 for each program. If desired, TV messaging features may be provided on a program information screen which allows a user to access multiple features related to the program, including the messaging features described in this application.

20 Another aspect of the present invention relates to the ability of the television message system to transmit reminder messages between users. Reminder messages are messages that are sent by one user to another user to remind the other user to watch a
25 particular television program. Television message system display screen 260 of FIG. 14 is an example of a user interface that permits the user to send a reminder message to the set-top box of another user. A user may get to information screen 260 by selecting a program in
30 the program guide listings and then pressing the "info" button on the remote control. The program guide listings contain information on programs that are currently airing on all available channels as well as programs that will be broadcast at future times.

- 42 -

Information regarding the program selected in the listings is displayed in region 262 of information screen 260. The user can set a reminder for himself to watch the selected program by selecting option 264.

- 5 The user can send a reminder to another user of a user television equipment device by selecting option 266. After the user selects option 266, pop-up region 276 appears in information screen 260. The user enters the recipient user's address information in region 270.
- 10 The location address may include a unique code identifying the user and the message server from which the recipient user can receive messages. The user may also choose the recipient's identity from the address book by choosing option 272. More than one recipient
- 15 may be entered. After the user has chosen a recipient, the user selects Done option 274. The reminder message is now transmitted to the recipient(s). An advertisement may also be displayed in region 275.

- A reminder message may also be sent to a user
- 20 of a user television equipment device from a web site that has program listings and that supports the transmittal of reminder messages such as www.tvguide.com. An Internet user may select a program from the listings displayed on the web site and enter
- 25 the address of the recipient user. The web site transmits the reminder message to the recipient via a server.

- Referring now to FIG. 15, television display screen 280 shows how a reminder message that has been
- 30 sent by one user and received on the set-top box of another user may be displayed. The recipient's set-top box application displays the reminder message a short time (e.g., 10 minutes) before the program that is related to the reminder is to air, regardless of the

- 43 -

time that the set-top box receives the reminder message. If desired, the reminder message may be displayed at other times or more than once. For example, the reminder may be displayed when the user first turns on the television set within a twelve hour interval before the program airs. The set-top box application may also display the reminder the first time that the user turns on the television after the set-top box has received the reminder message. These methods help ensure that the user will see the reminder even if he is not watching television a short time before the program airs.

The illustrative reminder message 282 of FIG. 15 is displayed as a relatively small overlay on television display screen 280 so as to interrupt the user's viewing of program 284 as little as possible. The video of program 284 may instead be shrunk so that so that none of it is obscured by the reminder message. The reminder message 282 indicates to the user that the program "Oprah" will air on ABC at 4 p.m. The user can accept the reminder message by selecting OK option 286, in which case the set-top box application will tune to the channel that corresponds to the local ABC affiliate.

Reminder messages can also be sent across time zones or local broadcast areas. When a set-top box receives a reminder message, it will search through the program guide listings to determine when the program will be broadcast in the user's time zone or local area. The set-top box application then displays the reminder message on the television screen at an appropriate time before the program airs. The user may decline the reminder message by selecting cancel option 288 causing the message to disappear from the TV

- 44 -

screen. The identity of the sender of the reminder message is displayed in region 283. If the set-top box application does not recognize the sender, then the sender's address or web site may be displayed in region 283. Displaying the sender's identity is useful for allowing the user to block that sender's reminders in the future. An advertisement may be displayed in region 285 of reminder 282 as shown in FIG. 15. If desired, multiple reminder messages may be displayed on a single overlay. The overlay may include both reminders set by the user, as well as, reminders sent by other users.

The television message system may provide the user with an opportunity to block all future reminder messages from a specific sender or all senders. When a reminder message is displayed to the user, it may include an option to block all future reminder messages from all senders such as option 287. The reminder message may also include an option such as option 289 which allows the user to block all future reminder messages from the user who has sent the current reminder. The reminder message may additionally include option 281 which configures the message system so that all reminder messages are blocked except reminders from the sender of the current reminder. These blocking features may be implemented to block other types of messages received on the set-top box. The filtering and blocking functions herein described may be performed at the set-top box of the recipient, at a remote server, or at the television distribution facility.

An illustrative process for allowing a user of user television equipment to send a reminder to another user of user television equipment is shown in

- 45 -

FIG. 16. At step 290, the set-top box application functioning on a user's television equipment provides the user with an opportunity to send a reminder message for a recipient user at a remote set-top box. The set-top box application can provide the user with an opportunity to send a reminder by using an interactive display screen such as television message system display screen 260 of FIG. 14. The user may enter reminder information such as the recipient user's address and the television program information. At step 294, the television message system may send the reminder to the recipient user's message server for subsequent downloading by the recipient user's user television equipment device.

Another aspect of the present invention relates to sending and receiving text, audio, or video messages between other users of user television equipment and users of communications equipment (e.g., Internet users, users of personal computers, etc.). The messages are similar to electronic mail (e-mail) in that they are stored on a message server and can be downloaded onto the recipient's set-top box by the set-top box application at any time. The user television equipment devices may communicate with the message server using any suitable network including the ones shown and described with respect to FIGS. 1A, 2A, 2B, and 3. Messages can be sent to a user's Internet service provider mail server for subsequent downloading by a user's computer. The television message system may also allow users to send program guide information such as TV program listings, program schedules, and program information as a message to other users.

As shown in FIG. 17, the set-top box application may provide a user of user television

- 46 -

equipment with an opportunity to send a message to another user through a user interface such as television message system display screen 300. Television message system display screen 300 may be
5 displayed by the set-top box application on the television when requested by the user (e.g., when the user presses a message button on his remote control). Television display screen 300 allows a user to compose a message and to send it to another user of user
10 television equipment or a user of communications equipment.

The user can compose the text of the message in box 308 using a wireless keyboard such as the one shown in FIG. 1B. If desired, the user can compose a
15 text message using a television screen keyboard such as the one shown in FIG. 1C or by choosing from a list of standard messages or words as shown, e.g., in FIG. 1D. The message sent by the user can relate to the television program that is displayed in window 304.
20 For example, the message "Nice play!" relates to a television program such as football game that the user is watching in window 304. If desired, a user of user television equipment may send an audio message similar to a voice mail message using the set-top box
25 application to another user by speaking into a microphone connected to the set-top box. A user may even send a picture or a video recording of himself (with or without the audio message) through the set-top box application using a camera that can communicate
30 with the set-top box so that the recipient can watch a video recording of the sender on his television set.

The user may enter the recipient's name or address in box 302. In FIG. 17, the name Bob has been entered in box 302. The set-top box application will

- 47 -

match the name Bob with an address previously entered by the user in the set-top box application address book. An e-mail address can also be entered in box 302 for Internet user recipients of a message. The user
5 can designate the message as an instant message by selecting option 303 or a saved message by selecting option 305. An instant message is erased from memory at the recipient end after a short period of time, while a saved message is stored indefinitely in memory
10 at the recipient end. The message in box 308 is only relevant for a short period of time during the course of the program. Therefore, the user may wish to designate it as an instant message.

The user may also send an audio message by
15 selecting option 307 or a video message by selecting option 309. The user can compose an audio message by speaking into a microphone connected to the set-top box or by sending an audio clip from a program. The user can compose a video message using a video camera, a
20 VCR, or by using video clips or video stills from a TV program. The video may be recorded using a local storage device (e.g. in the set-top box) or at a server. The user may also send video clips from a server-based library. The user may also send program
25 guide information to another user as part or all of the message by selecting option 311. The program guide information may be a brief description of the program in window 304, a portion of the program guide listings, or a TV program or channel schedule. The user can send
30 the message to the recipients by selecting send option 306. The user can cancel the message by selecting cancel option 310 and return to a set-top box application menu or a full screen view of the current

- 48 -

television program. An advertisement may be displayed in region 301 of screen 300.

As shown in FIG. 18, if the recipient of a message is a user of user television equipment, the recipient's set-top box application may display the message on the television screen some time after it is received by the set-top box. The set-top box application can periodically access all messages that are intended for the user from a message server and download them onto the set-top box. The message server can communicate with the user television equipment devices using any suitable configuration including the ones shown in FIGS. 1A, 2A, 2B, and 3.

Television display screen 320 is an example of how the message can be displayed. The message may be received by the user's set-top box 26 and stored in memory 25 (FIG. 1A). The set-top box application may then display the message on the user's television screen (i.e., on television 30 of FIG. 1) preferably in a way that interrupts the user's viewing of program 330 as little as possible. The message should, however, be large enough so that the user may read it. In FIG. 18, the set-top box application displays message 324 in window 322 in the lower left corner of display screen 320 while the user is watching television program 330.

If desired, the set-top box application may display an icon such as a small mailbox in the corner of the television screen or turn on a light on the front panel of the set-top box to indicate to the user that a message from another user has been received. The user may then access the content of the message by pressing a designated button on the remote control. The message may be displayed in a corner of the screen as shown in FIG. 18 or in a full screen view.

- 49 -

Window 322 displays the content of the message 324, and the sender of the message. If the set-top box application does not recognize the sender or the sender's name is not provided as part of the message, the set-top box application may display the sender's path or address instead. Message 324 may contain an advertisement or other information that the set-top box application or message server appends to it. In FIG. 18, the current score of the NFL game is attached to message 324 in region 325. Message 324 may also contain a title which may be entered by the sender or an additional advertisement. Window 322 provides the user with an opportunity to reply to the message by choosing reply option 326 or to clear the message from the screen by choosing clear option 328. If the user chooses to reply to the message, the set-top box application can take the user to an interactive screen such as screen 300 of FIG. 17, so the user can compose a reply message. The user may block future messages received from the sender by selecting option 321. The sender's address is then stored locally or at the message server so that future messages from this address are filtered out.

As shown in FIG. 19, the television message system may allow a user of user television equipment to transmit a message to another user of user television equipment who is chosen based on television-program-related criteria. The set-top box application may provide the user with an opportunity to select the program-related criteria to use in sending messages to the recipients using a user interface such as television message system display screen 200. The criteria may be other users of user television equipment who are currently watching a particular

- 50 -

television program (e.g., the current television program) (option 202), other users who are interested in a particular program (e.g., the current television program) (option 204), other users who are interested
5 in the same channel (e.g., the same channel as that on which the current television program is being broadcast) (option 206), or other users who are interested in the same category of programs (e.g., the same category as the current program) (option 208).

10 The set-top box application may determine the current program by accessing the database of program listings information stored in memory 25 or on a remote server. The set-top box application may also determine the current program by accessing a database (e.g., a
15 program listings database stored locally on the set-top box or on a server) and using information on the current time (e.g. which the set-top box or server has access to using a clock), and the current channel (known from the state of the tuner in set-top box 26).

20 The recipients of the message may be selected in a variety of ways. For example, the set-top box application may allow the user to view the names of other users in the address book and to filter out only those other users who have an interest in the same
25 program, channel, etc. by selecting option 210. The message would only be sent to the other users with appropriate interests (as determined by the user). If desired, user addresses may be provided with information identifying their interests. The set-top
30 box application may then automatically search for users in the address book who have interests that match the current program, current channel, or category of the current program (options 204, 206, and 208). Users interested in a category of programs may be identified

- 51 -

in a group stored in the address book such as "Movie Lovers" or "Monday Night Football Fans," as shown in FIG. 6C. These address book groups may be selected via option 208. Users interested in a particular program
5 may be identified in a group stored in the address book such as "Seinfeld Fans," as shown in FIG. 6C. These groups may be selected using option 204. If desired, a message may be sent to particular people, entities, or groups that the user individually chooses from his
10 address book without regard to their interests with option 210. In any case, the television message system may transmit messages to a message server until it is accessed by the recipient.

If desired, the television message system can
15 deliver a message related to a given program to a particular message server with an indication that the message is intended for receipt by current viewers of the given program, users interested in the program, users interested in the channel of the program, or
20 users interested in the category of the program. The message server may group the message with other messages relating to the given program, channel, or category. The message server then may allow any user's set-top box application to access all the messages for
25 the programs, channels, or categories that the user at that set-top box is interested in or is currently viewing. Any other users who wish to access messages relating to a program, channel, or category of programs can download those messages from the message server
30 onto their set-top boxes so that they can be read on a television set.

A user can indicate to his set-top box application that he wishes to access messages relating to a program he is currently watching by, for example,

- 52 -

pressing a message button on his remote control. In a program guide, a user can access messages relating to any program he is interested in by highlighting a program listing for that program in a program guide and
5 pressing the message button on his remote control or by choosing a program guide menu option. The set-top box application may provide the user with an opportunity to access messages relating to specific channels, or categories of programs in a similar fashion. Messages
10 may be download from the message server by the set-top box application onto the set-top box for viewing by the user. The set-top box application may display the messages in a list format by sender, topic of message, etc. The user may then choose the messages he wants to
15 read from the list.

An illustrative process for transmitting a message composed by a user of user television equipment to other users of user television equipment that were selected based upon television program-related criteria
20 is shown in FIG. 20. At step 340, the television messaging set-top box application functioning on the user television equipment provides the user with an opportunity to send a message to other users based upon television-program-related criteria. The set-top box
25 application may provide this opportunity by displaying a user interface such as television message system display screen 200. The message to be sent may be, for example, a recommendation to watch a program. The message may be entered into the set-top box application
30 using, for example, display screen 180 in FIG. 7. If desired, the message may relate to the context of a program entered using, for example, television message system display screen 300 of FIG. 17. The user may choose recipients for a message from the options

- 53 -

provided by, for example, television message system display screen 200 of FIG. 19. At step 342, the television message system transmits the message to a message server for access by the recipient users.

5 The set-top box application may provide the user with an opportunity to send a gift to another user of user television equipment or a user of communications equipment (e.g., an Internet user). As shown in FIG. 21, a television message system display
10 screen 350 may be used to allow the users to scroll through television program listings 352 to find a particular television program. The program listings may be organized by broadcast time and by channel. The program guide listings may include pay-per-view
15 channels such as PPV1 and PPV2. The user may be provided with an option to purchase a pay-per-view program such as "Titanic" on channel PPV1. Option 364 is highlighted to indicate that the user has selected "Titanic."

20 Television message system display screen 350 may display the gift options that are available for a particular program that the user has selected from the program listings. Information regarding which gift options are available for a particular channel or
25 program may be part of the program guide information that the set-top box receives from the main facility, encoded digitally in-band with the television program signal on a digital channel, provided in the VBI signal, or otherwise provided as data associated with
30 the television program. If gift options are available for "Titanic," the set-top box application will display the gift options such as gift options 354, 356, and 358 that are available for the program that the user has chosen. Gift option 354 allows the user to purchase

- 54 -

program merchandise for another user. Gift option 356 allows the user to purchase a pay-per-view program for another user to watch, such as "Titanic" on PPV1. Gift option 358 allows the user to purchase a gift
5 certificate for program merchandise, a pay-per-view program viewing coupon, etc. The user may enter the identity of the recipient of the gift by choosing option 360. Gift information relating to a TV program may also be provided for a specific program on a
10 program information screen that a user can access by highlighting the program in the listings grid and then pressing an "info" button on the remote control.

A gift may be processed when the user selects send option 362. Gift information may be sent to a
15 television distribution facility or a television program entity for processing. The user's account at the television distribution facility may be debited for the cost of the gift or another suitable accounting mechanism may be used. The recipient of a gift may be
20 notified of the gift by a message received on the recipient's set-top box or e-mail to an Internet user. Gift merchandise may be shipped to the recipient. If the gift is a pay-per-view program, the recipient's pay-per-view account may be credited by the amount of
25 the gift or gift certificate. If the recipient is not a user of user television equipment (e.g., the recipient is an Internet user), the recipient may be notified of the gift and given an access code that allows the recipient to view free pay-per-view programs
30 on his television up to the amount of the gift. If the recipient is a subscriber to the services of the same television distribution facility 16 as the gift giver, the access code may be provided by that television

- 55 -

distribution facility and may be released by the same television distribution facility.

If desired, television distribution facilities may be networked together so that a gift giver and recipient may be subscribers in different television distribution facilities. The TV message system may also authorize a specified gift PPV program automatically for the recipient without requiring an access code. In another embodiment, the local program guide that receives the PPV gift may allow the recipient of the gift to access the PPV program without charging the recipient and without requiring an access code.

Referring now to FIG. 22, television message system display screen 370 is an example of a user interface that allows a user to purchase program-related merchandise. The set-top box application may display screen 370 when the user selects a gift option such as gift option 354 of screen 350 (FIG. 21). Screen 370 provides the user with an opportunity to select program-related merchandise that he wishes to purchase as a gift for another user. The merchandise options 372, 374, 376, and 378 represent items of merchandise related to the program "Titanic" which the user can purchase. If the user wishes to pay by credit card, the user may enter his credit card number and its expiration date in boxes 380 and 382 respectively. If the user wishes to have his account at the television distribution facility debited, he may select payment option 384. An advertisement may be displayed in region 381 of screen 370.

Referring now to FIG. 23, television message system display screen 460 is an example of a user interface that allows a user to enter gift recipient

- 56 -

identity and address information. The set-top box application may display screen 460 when the user selects an option such as the "enter recipient" option 360 of screen 350 (FIG. 21). Screen 460 provides the user with an opportunity to enter information about the gift recipient so that the recipient may be notified that the gift has been purchased, and so that the recipient may receive the gift. The user may enter the gift recipient's name in region 462. The user may enter the gift recipient's electronic address (e.g. e-mail address) in region 464 if the recipient has an electronic address. The user may enter the recipient's street address (e.g. home address or mailing address) in region 466 if the gift is a tangible item such as program merchandise that is to be physically sent to the recipient. The user may enter the gift recipient's television address in region 468. The television address may be the address corresponding the gift recipient's user television equipment device which has messaging features. A notification that a gift has been purchased may be sent to the electronic address, the street address, or the television address. If desired, the television address may correspond to the gift recipient's television distribution facility so that the gift recipient may be credited for a pay-per-view program gift or gift certificate that has been purchased by the user.

An illustrative process for allowing a user of user television equipment to purchase a gift through the television message system is shown in FIG. 24. At step 390, the set-top box application provides the user with an opportunity to send a gift to a recipient. The set-top box application can provide this opportunity through a user interface such as display screen 350 of

- 57 -

FIG. 21. The gift can be related to television programming such as program-related merchandise or a pay-per-view program.

After the user selects the gift and the
5 recipient of the gift, the television message system transmits the gift information to the television distribution facility (or a remote server or a television program entity for e.g. the purchase of program merchandise) at step 392 where the user's
10 account is debited. The user's account can be a pay-per-view account or other account maintained with the television distribution facility, an account maintained with a television channel, an account maintained at a third party institution (such as a bank), a credit card
15 account such as a Visa account, or any other suitable account. At step 394, the recipient may be notified that a gift has been purchased for him. The recipient may be notified by the shipper of the merchandise, or by the television distribution facility that handles
20 pay-per-view programming for that recipient. The recipient may be notified by an electronic message that is sent to the message server where messages for the recipient are maintained.

Many of the features of the present invention
25 may be used with a two-way interactive display remote control. An example of a display remote control is shown in FIG. 25. Display remote control 480 contains display screen 482 which may be any suitable type of display screen. A user may compose a message to
30 another user using buttons 484. Pressing any of buttons 484 causes the selected letter or number to appear adjacent to cursor 491. The user may delete a letter or number by pressing Backspace button 486, and may enter upper case letters by pressing Shift button

- 58 -

488. The user may enter the recipient's address in region 495 of display screen 482, and may send the message by selecting Send option 494. The user may navigate between selected regions of display screen 482 using arrow buttons 498. For example, Send option 494 is highlighted in FIG. 25. Therefore, if the user press Enter button 490, the message will be sent to the recipient. Pressing the down arrow causes address region 495 to become active so that pressing buttons 484 causes letters or numerals to be entered in region 495.

The user may also view messages that have been sent to him by others users by selecting option 492. Option 492 opens up the user's inbox so that the user can read incoming messages directly on display screen 482. These features give the user additional privacy when composing messages and reading incoming messages. The display remote control therefore is a two-way interactive remote in that messages may be composed and sent, as well as received and read by the user. Further features of an illustrative display remote control are described in Herrington et al. U.S. provisional patent application Serial No. 60/138,868, filed June 11, 1999, which is hereby incorporated by reference herein in its entirety. A display remote may also be used for chatting between users. Further features of an illustrative television chat system are described in DeWeese et al. U.S. patent application Serial No. 09/356,270, filed concurrently herewith (Attorney Docket No. UV-101), which is hereby incorporated by reference herein in its entirety.

The foregoing is merely illustrative of the principles of this invention and various modifications

- 59 -

can be made by those skilled in the art without
departing from the scope and spirit of the invention.

- 60 -

The Invention Claimed Is:

1. A television message system in which users at user television equipment devices that are connected to a television distribution facility by communications paths may send messages to each other over the communications paths, the television distribution facility providing television programming over the communications paths that is displayed on the user television equipment devices, the message system comprising:

a plurality of the user television equipment devices, each of which is connected to the television distribution facility by one of the communications paths and each of which is configured to allow the user at that user television equipment device to send and receive messages over that communications path and which is configured to receive television programming from the television distribution facility over that communications path for display on that user television equipment device; and

means for distributing a message sent by a first of the users to a second of the users, wherein each user television equipment device is configured to provide the first user at that user television equipment device with an opportunity to send the message, wherein the message is transmitted to the means for distributing the message from the first user along an associated one of the communications paths, wherein the message is accessed by the second user from the means for distributing the message over another one of the communications paths.

- 61 -

2. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the first user at that user television equipment device with the opportunity to send the message to the second user using an interactive television display screen on that user television equipment device.

3. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a reminder message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

4. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a recommendation message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

5. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message related to a television program that is part of the television programming to another user of another user television equipment device.

- 62 -

6. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send an audio message to another user of another user television equipment device.

7. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a video message to another user of another user television equipment device.

8. The television message system defined in claim 1 wherein each user television equipment device is further configured to provide the user at that user television equipment device with an opportunity to send a message to a user of a user communications equipment device.

9. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to a user recipient by selecting the user recipient from an address book, the address book containing an address of the user recipient.

10. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to a group of other users by selecting the

- 63 -

group of other users from an address book, the address book containing addresses of the other users in the group.

11. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are watching a current television program that the user is watching, the current television program being part of the television programming.

12. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television program.

13. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television channel.

14. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send

- 64 -

a message to other users of other user television equipment devices who are interested in a particular category of television programs.

15. The television message system defined in claim 1 wherein each user television equipment device connected to the television distribution facility is configured to provide a user at that user television equipment device with an opportunity to send a message to a user of a user television equipment device connected to a different television distribution facility.

16. The television message system defined in claim 1 wherein each user television equipment device includes a set-top box on which a set-top box application is implemented that is used in sending and receiving the messages for that user television equipment device.

17. The television message system defined in claim 1 further comprising:

means for implementing a stand-alone television messaging application on each user television equipment device that is used to send and receive the messages for the user television equipment device on which that stand-alone television messaging application is implemented.

18. The television message system defined in claim 1 further comprising:

means for implementing an interactive television program guide with television messaging features on each user television equipment device that

- 65 -

is used to send and receive the messages for the user television equipment device on which that interactive television program guide is implemented.

19. The television message system defined in claim 1 further comprising:

means for implementing an interactive television program guide with television messaging features on each user television equipment device that is used to send and receive the messages for the user television equipment device on which that interactive television program guide is implemented; and

a memory device on each the user television equipment device configured to store a program listings database.

20. The television message system defined in claim 1 further comprising:

means for implementing an interactive television program guide with television messaging features on each user television equipment device that is used to send and receive the messages for the user television equipment device on which that interactive television program guide is implemented; and

a memory device storing a program listings database that is in communication with the interactive program guide.

21. The television message system defined in claim 1 wherein the television distribution facility comprises a cable system headend.

- 66 -

22. The television message system defined in claim 21 wherein the communications paths are coaxial cables.

23. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to block future messages from a sender of a message received by the user.

24. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to block future reminder messages from a sender of a reminder message received by the user.

25. The television message system defined in claim 1 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to create a message, add the message to a list of messages, and send the message to another user at any time.

26. The television message system defined in claim 1 wherein the television message system is configured to automatically save messages sent by the users so that each user can access messages that he has previously sent and resend any of the messages.

27. A television message system in which users at user television equipment devices that are

- 67 -

connected to a television distribution facility by communications paths may send messages to each other over the communications paths, the television distribution facility providing television programming over the communications paths that is displayed on the user television equipment devices, the message system comprising:

a plurality of the user television equipment devices, each of which is connected to the television distribution facility by one of the communications paths and each of which is configured to allow the user at that user television equipment device to send and receive messages over that communications path and which is configured to receive television programming from the television distribution facility over that communications path for display on that user television equipment device; and

message equipment configured to distribute a message sent by a first of the users to a second of the users, wherein each user television equipment device is configured to provide the first user at that user television equipment device with an opportunity to send the message, wherein the message is transmitted to the message equipment from the first user along an associated one of the communications paths, wherein the message is accessed by the second user from the message equipment over another one of the communications paths.

28. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the first user at that user television equipment device with the opportunity to send the message to the second user using an

- 68 -

interactive television display screen on that user television equipment device.

29. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a reminder message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

30. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a recommendation message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

31. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message related to a television program that is part of the television programming to another user of another user television equipment device.

32. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send

- 69 -

an audio message to another user of another user television equipment device.

33. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a video message to another user of another user television equipment device.

34. The television message system defined in claim 27 wherein the message equipment is a message server located at the television distribution facility.

35. The television message system defined in claim 27 wherein each user television equipment device is further configured to provide the user at that user television equipment device with an opportunity to send a message to a user of a user communications equipment device.

36. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to a user recipient by selecting the user recipient from an address book, the address book containing an address of the user recipient.

37. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to a group of other users by selecting the

- 70 -

group of other users from an address book, the address book containing addresses of the other users in the group.

38. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are watching a current television program that the user is watching, the current television program being part of the television programming.

39. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television program.

40. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television channel.

41. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send

- 71 -

a message to other users of other user television equipment devices who are interested in a particular category of television programs.

42. The television message system defined in claim 27 wherein each user television equipment device connected to the television distribution facility is configured to provide a user at that user television equipment device with an opportunity to send a message to a user of a user television equipment device connected to a different television distribution facility.

43. The television message system defined in claim 27 wherein each user television equipment device includes a set-top box on which a set-top box application is implemented that is used in sending and receiving the messages for that user television equipment device.

44. The television message system defined in claim 27 further comprising a stand-alone television messaging application implemented on each user television equipment device that is used in sending and receiving the messages for the user television equipment device on which that stand-alone television messaging application is implemented.

45. The television message system defined in claim 27 further comprising an interactive television program guide with television messaging features implemented on each user television equipment device that is used in sending and receiving the messages for

- 72 -

the user television equipment device on which that interactive television program guide is implemented.

46. The television message system defined in claim 27 further comprising an interactive television program guide with television messaging features implemented on each user television equipment device that is used in sending and receiving the messages for the user television equipment device on which that interactive television program guide is implemented, the user television equipment device further comprising memory configured to store a program listings database.

47. The television message system defined in claim 27 further comprising an interactive television program guide with television messaging features implemented on each user television equipment device that is used in sending and receiving the messages for the user television equipment device on which that interactive television program guide is implemented, and a memory device configured to store a program listings database that is in communication with the interactive program guide.

48. The television message system defined in claim 27 wherein the television distribution facility comprises a cable system headend.

49. The television message system defined in claim 48 wherein the communications paths are coaxial cables.

50. The television message system defined in claim 27 wherein each user television equipment device

- 73 -

is configured to provide the user at that user television equipment device with an opportunity to block future messages from a sender of a message received by the user.

51. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to block future reminder messages from a sender of a reminder message received by the user.

52. The television message system defined in claim 27 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to create a message, add the message to a list of messages, and send the message to another user at any time.

53. The television message system defined in claim 27 wherein the television message system is configured to automatically save messages sent by the users so that each user can access messages that he has previously sent and resend any of the messages.

54. A method for distributing messages in a television message system in which users at a plurality of user television equipment devices that are connected to a television distribution facility by communications paths may send messages to each other over the communications paths, the television distribution facility providing television programming over the

- 74 -

communications paths that is displayed on the user television equipment devices, comprising:

receiving television programming on each of the user television equipment devices from the television distribution facility over the communications paths for display on the user television equipment devices;

providing a first user at each user television equipment device with an opportunity to send a message from that user television equipment device to a second user at another one of the user television equipment devices; and

transmitting the message to message equipment from the first user along an associated one of the communications paths, wherein the message can be accessed by the user television equipment device of the second user from the message equipment.

55. The method defined in claim 54 wherein providing the first user at each user television equipment device with the opportunity to send the message to the second user is performed through an interactive television display screen on that user television equipment device.

56. The method defined in claim 54 wherein providing the first user at each user television equipment device with the opportunity to send the message to the second user further comprises providing the first user with an opportunity to send a reminder message to the second user to watch a television program that is received as part of the television programming.

- 75 -

57. The method defined in claim 54 wherein providing the first user at each user television equipment device with the opportunity to send the message to the second user further comprises providing the first user with an opportunity to send a recommendation message to the second user to watch a television program that is received as part of the television programming.

58. The method defined in claim 54 wherein providing the first user at each user television equipment device with the opportunity to send the message to the second user further comprises providing the first user with an opportunity to send a message related to a television program that is part of the television programming to the second user.

59. The method defined in claim 54 wherein providing the first user at each user television equipment device with the opportunity to send the message to the second user further comprises providing the first user with an opportunity to send an audio message to the second user.

60. The method defined in claim 54 wherein providing the first user at each user television equipment device with the opportunity to send the message to the second user further comprises providing the first user with an opportunity to send a video message to the second user.

61. The method defined in claim 54 wherein the television distribution facility comprises a cable

- 76 -

system headend, and wherein the communications paths are coaxial cables.

62. The method defined in claim 54 further comprising providing the user at each user television equipment device with an opportunity to send a message to a user of a user communications equipment device.

63. The method defined in claim 54 wherein providing the first user at each user television equipment device with the opportunity to send the message to the second user further comprises providing the first user with an opportunity to send the message to the second user by selecting the second user from an address book, the address book containing an address of the second user.

64. The method defined in claim 54 wherein providing the first user at each user television equipment device with the opportunity to send the message to the second user further comprises providing the first user with an opportunity to send the message to a group of other users by selecting the group of other users from an address book, the address book containing addresses of the other users in the group.

65. The method defined in claim 54 further comprising providing the user at each user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are watching a current television program that the user is watching, the current television program being part of the television programming.

- 77 -

66. The method defined in claim 54 further comprising providing the user at each user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television program.

67. The method defined in claim 54 further comprising providing the user at each user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television channel.

68. The method defined in claim 54 further comprising providing the user at each user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular category of television programs.

69. The method defined in claim 54 further comprising providing a user at each user television equipment device connected to the television distribution facility with an opportunity to send a message to a user of a user television equipment device connected to a different television distribution facility.

70. The method defined in claim 54 wherein each user television equipment device includes a set-top box, and wherein the method further comprises implementing a set-top box application on the set-top

- 78 -

box that is used in sending and receiving the messages for that user television equipment device.

71. The method defined in claim 54 further comprising implementing a stand-alone television messaging application on each user television equipment device for sending and receiving the messages for the user television equipment device on which that stand-alone television messaging application is implemented.

72. The method defined in claim 54 further comprising implementing an interactive television program guide with television messaging features on each user television equipment device for sending and receiving the messages for the user television equipment device on which that interactive television program guide is implemented.

73. The method defined in claim 54 further comprising implementing an interactive television program guide with television messaging features on each user television equipment device for sending and receiving the messages for the user television equipment device on which that interactive television program guide is implemented, and wherein the user television equipment device further comprises memory configured to store a program listings database.

74. The method defined in claim 54 further comprising implementing an interactive television program guide with television messaging features on each user television equipment device for sending and receiving the messages for the user television equipment device on which that interactive television

- 79 -

program guide is implemented, and storing a program listings database on a memory device that is in communication with the interactive program guide.

75. The method defined in claim 54 wherein the television distribution facility comprises a cable system headend.

76. The method defined in claim 75 wherein the communications paths are coaxial cables.

77. The method defined in claim 54 further comprising providing the user at the user television equipment device with an opportunity to block future messages from a sender of a message received by the user.

78. The method defined in claim 54 further comprising providing the user at the user television equipment device with an opportunity to block future reminder messages from a sender of a reminder message received by the user.

79. A television message system in which users at user television equipment devices that are connected to a television distribution facility by communications paths may send messages to television program entities, the television distribution facility providing television programming to the user television equipment devices, the message system comprising:

a plurality of the user television equipment devices, each of which is connected to the television distribution facility and each of which is configured to receive the television programming from

- 80 -

the television distribution facility over a respective one of the communications paths and to display the television programming on that user television equipment device; and

means for distributing messages from the users to at least one television program entity, wherein the user television equipment devices are configured to provide the users with opportunities to send the messages to at least one television program entity that are related to the television programming received on the user television equipment devices, wherein the messages are transmitted over the communications paths to the means for distributing messages from the user television equipment devices.

80. The television message system defined in claim 79 wherein each user television equipment device is configured to provide the user at that user television equipment device with the opportunity to send the message to the television program entity using an interactive television display screen on that user television equipment device.

81. The television message system defined in claim 79 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to participate in a contest that is related to the television programming by sending a contest message to the television program entity.

82. The television message system defined in claim 79 wherein each user television equipment device is configured to provide the user at that user

- 81 -

television equipment device with an opportunity to participate in a survey that includes survey questions related to the television programming by sending a survey message comprising answers to the survey questions to the television program entity.

83. The television message system defined in claim 79 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to participate in a promotion that is related to the television programming by sending a promotion message to the television program entity.

84. The television message system defined in claim 79 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send an evaluation message of a television program to the television program entity, the television program being part of the television programming received on that user television equipment device.

85. The television message system defined in claim 79 wherein each user television equipment device includes a set-top box on which a set-top box application is implemented that is used in sending the messages to the television program entities from that user television equipment device.

86. The television message system defined in claim 79 further comprising:

means for implementing a stand-alone television messaging application on each user

- 82 -

television equipment device that is used to send the messages from the user television equipment device on which that stand-alone television messaging application is implemented to the television program entities.

87. The television message system defined in claim 79 further comprising:

means for implementing an interactive television program guide with television messaging features on each user television equipment device that is used to send the messages from the user television equipment device on which that interactive television program guide is implemented to the television program entities.

88. The television message system defined in claim 79 further comprising:

means for implementing an interactive television program guide with television messaging features on each user television equipment device that is used to send the messages from the user television equipment device on which that interactive television program guide is implemented to the television program entities; and

a memory device on each the user television equipment device configured to store a program listings database.

89. The television message system defined in claim 79 further comprising:

means for implementing an interactive television program guide with television messaging features on each user television equipment device that is used to send the messages from the user television

- 83 -

equipment device on which that interactive television program guide is implemented to the television program entities; and

a memory device configured to store a program listings database that is in communication with the interactive program guide.

90. The television message system defined in claim 79 wherein the television distribution facility comprises a cable system headend.

91. The television message system defined in claim 90 wherein the communications paths are coaxial cables.

92. A television message system in which users at user television equipment devices that are connected to a television distribution facility by communications paths may send messages to television program entities, the television distribution facility providing television programming to the user television equipment devices, the television message system comprising:

a plurality of the user television equipment devices, each of which is connected to the television distribution facility and each of which is configured to receive the television programming from the television distribution facility over a respective one of the communications paths and to display the television programming on that user television equipment device; and

message equipment that is configured to distribute messages from the users to at least one television program entity, wherein the user television

- 84 -

equipment devices are configured to provide the users with opportunities to send the messages to at least one television program entity that are related to the television programming being received by the user television equipment devices, wherein the messages are transmitted over the communications paths to the message equipment from the user television equipment devices.

93. The television message system defined in claim 92 wherein each user television equipment device is configured to provide the user at that user television equipment device with the opportunity to send the message to the television program entity using an interactive television display screen on that user television equipment device.

94. The television message system defined in claim 92 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to participate in a contest that is related the television programming by sending a contest message to the television program entity.

95. The television message system defined in claim 92 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to participate in a survey that includes survey questions related to the television programming by sending a survey message comprising answers to the survey questions to the television program entity.

- 85 -

96. The television message system defined in claim 92 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to participate in a promotion that is related to the television programming by sending a promotion message to the television program entity.

97. The television message system defined in claim 92 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send an evaluation message of a television program to the television program entity, the television program being received as part of the television programming.

98. The television message system defined in claim 92 wherein each user television equipment device includes a set-top box on which a set-top box application is implemented that is used in sending the messages to the television program entity from that user television equipment device.

99. The television message system defined in claim 92 further comprising a stand-alone television messaging application implemented on each user television equipment device that is used in sending the messages to the television program entity from the user television equipment device on which that stand-alone television messaging application is implemented.

100. The television message system defined in claim 92 further comprising an interactive television program guide with television messaging features

- 86 -

implemented on each user television equipment device that is used in sending the messages to the television program entity from the user television equipment device on which that interactive television program guide is implemented.

101. The television message system defined in claim 92 further comprising an interactive television program guide with television messaging features implemented on each user television equipment device that is used in sending the messages to the television program entity from the user television equipment device on which that interactive television program guide is implemented, the user television equipment device further comprising memory configured to store a program listings database.

102. The television message system defined in claim 92 further comprising an interactive television program guide with television messaging features implemented on each user television equipment device that is used in sending the messages to the television program entity from the user television equipment device on which that interactive television program guide is implemented, and a memory configured to store a program listings database that is in communication with the interactive program guide.

103. The television message system defined in claim 92 wherein the television distribution facility comprises a cable system headend.

- 87 -

104. The television message system defined in claim 103 wherein the communications paths are coaxial cables.

105. A method for sending messages in a television message system in which users at user television equipment devices that are connected to a television distribution facility by communications paths may send messages to television program entities, the television distribution facility providing television programming to the user television equipment devices, the message system comprising:

receiving the television programming from the television distribution facility at each of the user television equipment devices over a respective one of the communications paths that is displayed on the user television equipment devices, each of the user television equipment devices being connected to the television distribution facility by the communications paths;

providing the user at each user television equipment device with an opportunity to send a message to at least one television program entity that is related to the television programming that is received on that user television equipment device; and

distributing the message to at least one television program entity by transmitting the message along an associated one of the communications paths from the user television equipment device.

106. The method defined in claim 105 wherein providing the user at each user television equipment device with the opportunity to send the message to the television program entity is performed using an

- 88 -

interactive television display screen on that user television equipment device.

107. The method defined in claim 105 wherein providing the user at each user television equipment device with the opportunity to send the message further comprises providing the user at each user television equipment device with an opportunity to participate in a contest that is related to the television programming received on that user television equipment device by sending a contest message to the television program entity.

108. The method defined in claim 105 wherein providing the user at each user television equipment device with the opportunity to send the message further comprises providing the user at each user television equipment device with an opportunity to participate in a survey that includes survey questions related to the television programming by sending a survey message comprising answers to the survey questions to the television program entity.

109. The method defined in claim 105 wherein providing the user at each user television equipment device with the opportunity to send the message further comprises providing the user at each user television equipment device with an opportunity to participate in a promotion that is related the television programming received on that user television equipment device by sending a promotion message to the television program entity.

- 89 -

110. The method defined in claim 105 wherein providing the user at each user television equipment device with the opportunity to send the message further comprises providing the user at each user television equipment device with an opportunity to send an evaluation message of a television program to the television program entity, the television program being received as part of the television programming.

111. The method defined in claim 105 wherein each user television equipment device includes a set-top box, and wherein the method further comprises implementing a set-top box application on the set-top box that is used in sending the messages to the television program entity from that user television equipment device.

112. The method defined in claim 105 further comprising implementing a stand-alone television messaging application on each user television equipment device for sending the messages to the television program entity from the user television equipment device on which that stand-alone television messaging application is implemented.

113. The method defined in claim 105 further comprising implementing an interactive television program guide with television messaging features on each user television equipment device for sending the messages to the television program entity from the user television equipment device on which that interactive television program guide is implemented.

- 90 -

114. The method defined in claim 105 further comprising implementing an interactive television program guide with television messaging features on each user television equipment device for sending the messages to the television program entity from the user television equipment device on which that interactive television program guide is implemented, and wherein the user television equipment device further comprises memory configured to store a program listings database.

115. The method defined in claim 105 further comprising implementing an interactive television program guide with television messaging features on each user television equipment device for sending the messages to the television program entity from the user television equipment device on which that interactive television program guide is implemented, and storing a program listings database on a memory device that is in communication with the interactive program guide.

116. The method defined in claim 105 wherein the television distribution facility comprises a cable system headend.

117. The method defined in claim 116 wherein the communications paths are coaxial cables.

118. A television message system for purchasing gifts in which users at a plurality of user television equipment devices that are connected to a television distribution facility by respective communications paths may purchase gifts for recipients, the television distribution facility providing

- 91 -

television programming to the user television equipment devices, the television message system comprising:

a plurality of the user television equipment devices, each of which is connected to the television distribution facility and each of which is configured to receive the television programming from the television distribution facility over a respective one of the communications paths and to display the television programming on that user television equipment device, each of the user television equipment devices being configured to receive gift information over the respective communications path regarding the potential purchase of a gift for a recipient at a location remote from that user television equipment device; and

means for providing the user at each user television equipment device with an opportunity to view the gift information and an opportunity to purchase the gift for the recipient at the location remote from that user television equipment device by supplying purchase information that includes the identity of the recipient of the gift.

119. The television message system defined in claim 118 further comprising means for delivering the purchase information to the television distribution facility for debiting a user account.

120. The television message system defined in claim 118 wherein the means for providing the user with the opportunity to purchase the gift further comprises means for providing the user with an opportunity to identify which gifts are to be purchased as part of the purchase information.

- 92 -

121. The television message system defined in claim 118 wherein the means for providing the user with the opportunity to purchase the gift further comprises means for providing the user with an opportunity to enter the street address of the recipient so that the gift may be sent to the street address.

122. The television message system defined in claim 118 wherein the means for providing the user with the opportunity to purchase the gift further comprises means for providing the user with an opportunity to enter an address corresponding to the user television equipment device of the recipient so that a notification message may be sent to the recipient's user television equipment device notifying the recipient that the gift has been purchased.

123. The television message system defined in claim 118 wherein the means for providing the user with the opportunity to purchase the gift further comprises means for providing the user with an opportunity to enter an e-mail address of the recipient so that a notification message may be sent to the e-mail address notifying the recipient that the gift has been purchased.

124. The television message system defined in claim 118 wherein each of the user television equipment devices is configured to receive the gift information over the respective communications path regarding the potential purchase of television program merchandise as a gift for a recipient at a location remote from that user television equipment device; and wherein the means

- 93 -

for providing the user with the opportunity to purchase the gift further comprises means for providing the user with an opportunity to purchase the television program merchandise as the gift for the recipient.

125. The television message system defined in claim 118 wherein each of the user television equipment devices is configured to receive the gift information over the respective communications path regarding the potential purchase of a pay-per-view television program as a gift for a recipient at a location remote from that user television equipment device; and wherein the means for providing the user with the opportunity to purchase the gift further comprises means for providing the user with an opportunity to purchase the pay-per-view television program as the gift for the recipient.

126. A television message system for purchasing gifts in which users at a plurality of user television equipment devices that are connected to a television distribution facility by respective communications paths may purchase gifts for recipients, the television distribution facility providing television programming to the user television equipment devices, the television message system comprising:

a plurality of the user television equipment devices, each of which is connected to the television distribution facility, wherein each of the user television equipment devices is configured to:

receive the television programming from the television distribution facility over a respective one of the communications paths;

display the television programming on that user television equipment device;

- 94 -

receive gift information over the respective communications path regarding the potential purchase of a gift for a recipient at a location remote from that user television equipment device;

provide the user at that user television equipment device with an opportunity to view the gift information; and

provide the user at that user television equipment device with an opportunity to purchase the gift for the recipient at the location remote from that user television equipment device by supplying purchase information that includes the identity of the recipient of the gift.

127. The television message system defined in claim 126 wherein each user television equipment device is further configured to deliver the purchase information to the television distribution facility for debiting a user account.

128. The television message defined in claim 126 wherein each user television equipment device is configured to provide the user with an opportunity to identify which gifts are to be purchased as part of the purchase information.

129. The television message system defined in claim 126 wherein each user television equipment device is further configured to provide the user with an opportunity to enter the street address of the recipient so that the gift may be sent to the street address.

- 95 -

130. The television message system defined in claim 126 wherein each user television equipment device is further configured to provide the user with an opportunity to enter an address corresponding to the user television equipment device of the recipient so that a notification message may be sent to the recipient's user television equipment device notifying the recipient that the gift has been purchased.

131. The television message system defined in claim 126 wherein each user television equipment device is further configured to provide the user with an opportunity to enter an e-mail address of the recipient so that a notification message may be sent to the e-mail address notifying the recipient that the gift has been purchased.

132. The television message system defined in claim 126 wherein each of the user television equipment devices is further configured to receive the gift information over the respective communications path regarding the potential purchase of television program merchandise as a gift for a recipient at a location remote from that user television equipment device, and to provide the user with an opportunity to purchase the television program merchandise as the gift for the recipient.

133. The television message system defined in claim 126 wherein each of the user television equipment devices is further configured to receive the gift information over the respective communications path regarding the potential purchase of a pay-per-view television program as a gift for a recipient at a

- 96 -

location remote from that user television equipment device, and to provide the user with an opportunity to purchase the pay-per-view television program as the gift for the recipient.

134. A method for purchasing gifts in a television message system in which users at a plurality of user television equipment devices that are connected to a television distribution facility by respective communications paths may purchase gifts for recipients, the television distribution facility providing television programming to the user television equipment devices, comprising:

receiving the television programming from the television distribution facility at each of the user television equipment devices over a respective one of the communications paths that is displayed on the user television equipment devices;

receiving gift information over one of the communications paths with a given one of the user television equipment devices, the gift information regarding the potential purchase of a gift for a recipient at a location remote from the given user television equipment device; and

providing the user at the given user television equipment device with an opportunity to view the gift information and an opportunity to purchase the gift for the recipient at the location remote from the given user television equipment device by supplying purchase information that includes the identity of the recipient of the gift.

135. The method defined in claim 134 further comprising delivering the purchase information to the

- 97 -

television distribution facility for debiting a user account.

136. The method defined in claim 134 wherein providing the user with the opportunity to purchase the gift further comprises providing the user with an opportunity to identify which gifts are to be purchased as part of the purchase information.

137. The method defined in claim 134 wherein providing the user with the opportunity to purchase the gift further comprises providing the user with an opportunity to enter the street address of the recipient so that the gift may be sent to the street address.

138. The method defined in claim 134 wherein providing the user with the opportunity to purchase the gift further comprises providing the user with an opportunity to enter an address corresponding to the user television equipment device of the recipient so that a notification message may be sent to the recipient's user television equipment device notifying the recipient that the gift has been purchased.

139. The method defined in claim 134 wherein providing the user with the opportunity to purchase the gift further comprises providing the user with an opportunity to enter an e-mail address of the recipient so that a notification message may be sent to the e-mail address notifying the recipient that the gift has been purchased.

- 98 -

140. The method defined in claim 134 wherein receiving the gift information further comprises receiving the gift information regarding the potential purchase of television program merchandise as a gift for a recipient at a location remote from the given user television equipment device; and wherein providing the user with the opportunity to purchase the gift further comprises providing the user with an opportunity to purchase the television program merchandise for the recipient.

141. The method defined in claim 134 wherein receiving the gift information further comprises receiving the gift information regarding the potential purchase of a pay-per-view television program as a gift for a recipient at a location remote from the given user television equipment device; and wherein providing the user with the opportunity to purchase the gift further comprises providing the user with an opportunity to purchase the pay-per-view television program for the recipient.

142. A television message system in which users at user television equipment devices that are connected to a television distribution facility by communications paths may send messages to each other, the television distribution facility providing television programming over the communications paths that is displayed on the user television equipment devices, the message system comprising:

a plurality of the user television equipment devices, each of which is connected to the television distribution facility by one of the communications paths and each of which is configured to

- 99 -

receive television programming from the television distribution facility over that communications path for display on that user television equipment device, wherein an interactive television program guide implemented on each user television equipment device allows the user at that user television equipment device to send and receive messages; and

message equipment configured to distribute a message sent by a first of the users to a second of the users, wherein the interactive program guide on each user television equipment device is configured to provide the first user at that user television equipment device with an opportunity to send the message, wherein the message is transmitted to the message equipment from the first user and is accessed by the second user from the message equipment.

143. The television message system defined in claim 142 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a reminder message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

144. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a recommendation message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

- 100 -

145. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message related to a television program that is part of the television programming to another user of another user television equipment device.

146. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send an audio message to another user of another user television equipment device.

147. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a video message to another user of another user television equipment device.

148. The television message system defined in claim 142 wherein the message equipment is a message server located at the television distribution facility.

149. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment

- 101 -

device with an opportunity to send a message to a user of a user communications equipment device.

150. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to a user recipient by selecting the user recipient from an address book, the address book containing an address of the user recipient.

151. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to a group of other users by selecting the group of other users from an address book, the address book containing addresses of the other users in the group.

152. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are watching a current television program that the user is watching, the current television program being part of the television programming.

153. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to

- 102 -

provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television program.

154. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television channel.

155. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular category of television programs.

156. The television message system defined in claim 142 wherein the interactive program guide on each user television equipment device connected to the television distribution facility is configured to provide a user at that user television equipment device with an opportunity to send a message to a user of a user television equipment device connected to a different television distribution facility.

157. A television message system in which users at user television equipment devices that are connected to a television distribution facility by

- 103 -

communications paths may send messages to each other, the television distribution facility providing television programming over the communications paths that is displayed on the user television equipment devices, the message system comprising:

a plurality of the user television equipment devices, each of which is connected to the television distribution facility by one of the communications paths and each of which is configured to receive television programming from the television distribution facility over that communications path for display on that user television equipment device, wherein an interactive television program guide implemented on each user television equipment device allows the user at that user television equipment device to send and receive messages; and

means for distributing a message sent by a first of the users to a second of the users, wherein the interactive program guide on each user television equipment device is configured to provide the first user at that user television equipment device with an opportunity to send the message, wherein the message is transmitted to the means for distributing the message from the first user and is accessed by the second user from the means for distributing the message.

158. The television message system defined in claim 157 wherein each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a reminder message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

- 104 -

159. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a recommendation message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

160. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message related to a television program that is part of the television programming to another user of another user television equipment device.

161. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send an audio message to another user of another user television equipment device.

162. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a video message to another user of another user television equipment device.

- 105 -

163. The television message system defined in claim 157 wherein the message equipment is a message server located at the television distribution facility.

164. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to a user of a user communications equipment device.

165. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to a user recipient by selecting the user recipient from an address book, the address book containing an address of the user recipient.

166. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to a group of other users by selecting the group of other users from an address book, the address book containing addresses of the other users in the group.

167. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment

- 106 -

device with an opportunity to send a message to other users of other user television equipment devices who are watching a current television program that the user is watching, the current television program being part of the television programming.

168. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television program.

169. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television channel.

170. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device is configured to provide the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular category of television programs.

171. The television message system defined in claim 157 wherein the interactive program guide on each user television equipment device connected to the

- 107 -

television distribution facility is configured to provide a user at that user television equipment device with an opportunity to send a message to a user of a user television equipment device connected to a different television distribution facility.

172. A method for distributing messages in a television message system in which a plurality of user television equipment devices are connected to a television distribution facility by communications paths, the television distribution facility providing television programming over the communications paths that is displayed on the user television equipment devices, comprising:

- receiving television programming on each of the user television equipment devices from the television distribution facility over the communications paths for display on the user television equipment devices;

- implementing an interactive program guide that provides a first user at each user television equipment device with an opportunity to send a message from that user television equipment device to a second user at another one of the user television equipment devices; and

- transmitting the message to message equipment from the first user along an associated one of the communications paths, wherein the message can be accessed by the user television equipment device of the second user from the message equipment.

173. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television

- 108 -

equipment device with an opportunity to send a reminder message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

174. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a recommendation message to another user of another user television equipment device to watch a television program that is received as part of the television programming.

175. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a message related to a television program that is part of the television programming to another user of another user television equipment device.

176. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send an audio message to another user of another user television equipment device.

177. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a video

- 109 -

message to another user of another user television equipment device.

178. The method defined in claim 172 wherein the message equipment is a message server located at the television distribution facility.

179. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a message to a user of a user communications equipment device.

180. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a message to a user recipient by selecting the user recipient from an address book, the address book containing an address of the user recipient.

181. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a message to a group of other users by selecting the group of other users from an address book, the address book containing addresses of the other users in the group.

182. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment

- 110 -

devices who are watching a current television program that the user is watching, the current television program being part of the television programming.

183. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television program.

184. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular television channel.

185. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing the user at that user television equipment device with an opportunity to send a message to other users of other user television equipment devices who are interested in a particular category of television programs.

186. The method defined in claim 172 wherein implementing the interactive program guide further comprises providing a user at that user television equipment device with an opportunity to send a message to a user of a user television equipment device

- 111 -

connected to a different television distribution
facility.





FIG. 1A

2/31

*FIG. 1B*





FIG. 1C

*FIG. 1D*

5/31




FIG. 2A

6/31




FIG. 2B

7/31




FIG. 3

8/31





FIG. 4

9/31

*FIG. 5*

10/31

420

ENTER USER PROFILE INFORMATION:

NAME

FAVORITE PROGRAMS

FAVORITE CATEGORIES OF PROGRAMS

FAVORITE CHANNELS

ADMIT MESSAGES ONLY FROM

BLOCK MESSAGES FROM

RESIDENCE: CITY STATE

OK CANCEL

422 425 426 432 438 430 428 435 437 436 439 441 443

Detailed description of FIG. 6A: This is a graphical user interface for entering user profile information. The screen is titled 'ENTER USER PROFILE INFORMATION:'. It features several input fields and buttons. At the top left is a text input field for 'NAME'. Below it are three dropdown menus for 'FAVORITE PROGRAMS' (currently showing 'ROSEANNE'), 'FAVORITE CATEGORIES OF PROGRAMS' (currently showing 'MOVIES'), and 'FAVORITE CHANNELS' (currently showing 'CHANNEL 2'). To the right of these are two more text input fields: 'ADMIT MESSAGES ONLY FROM' and 'BLOCK MESSAGES FROM'. Below these is a 'RESIDENCE' section with two sub-fields: 'CITY' and 'STATE'. At the bottom are two buttons: 'OK' and 'CANCEL'. Reference numerals are placed throughout the diagram to identify specific components: 420 points to the overall screen; 422 points to the 'FAVORITE PROGRAMS' dropdown; 425 and 426 point to the 'ROSEANNE' text and the dropdown arrow respectively; 432 and 438 point to the 'MOVIES' text and the dropdown arrow respectively; 430 and 428 point to the 'CHANNEL 2' text and the dropdown arrow respectively; 435 points to the 'ADMIT MESSAGES ONLY FROM' field; 437 points to the 'BLOCK MESSAGES FROM' field; 436 points to the 'OK' button; 439 points to the 'CANCEL' button; 441 points to the 'CITY' field; and 443 points to the 'STATE' field.

FIG. 6A

11/31

421

ENTER USER IDENTITY

423 NAME

427 ADDRESS

OK

CANCEL

433
ADD TO
GROUP

429

431

FIG. 6B

12/31




FIG. 6C




FIG. 7

14/31




FIG. 8

15/31

230

PROGRAM SURVEY:

1. HOW OFTEN DO YOU WATCH THIS PROGRAM?

EVERY DAY 232a ONCE A WEEK 232b ONCE A MONTH 232c

2. WHAT CATEGORIES OF TV PROGRAMS INTEREST YOU?

MOVIES 234a SPORTS 234b COMEDY 234c NEWS 234d

NEXT SET OF QUESTIONS 236 SEND ANSWERS 238 CANCEL 240

235

VISA®: IT'S EVERYWHERE YOU WANT TO BE

FIG. 9

16/31




FIG. 10

17/31





FIG. 11

18/31

*FIG. 12*

19/31




FIG. 13

20/31




FIG. 14

21/31





FIG. 15

22/31

*FIG. 16*

23/31




FIG. 17






FIG. 18

25/31

*FIG. 19*

26/31

*FIG. 20*

27/31




FIG. 21

28/31

370

TITANIC MERCHANDISE:

TITANIC T-SHIRT 372	LEONARDO DICAPRIO POSTER 374
TITANIC COFFEE MUG 376	TITANIC VIDEO CASSETTE 378

PAYMENT METHOD:

CREDIT CARD NO. 380 EX. DATE 382

DEBIT ACCOUNT 384	FORD TAURUS NO.1 IN ITS CLASS 381
-------------------	-----------------------------------

FIG. 22

460

ENTER GIFT RECIPIENT INFORMATION

NAME 462	ELECTRONIC ADDRESS 464
<input type="text"/>	<input type="text"/>
STREET ADDRESS	TELEVISION ADDRESS
<input type="text"/>	<input type="text"/>
466	468

PRESS ENTER WHEN FINISHED





FIG. 23

30/31

**FIG. 24**

31/31




FIG. 25